

Obesity and Hypertension in Association with Diastolic Dysfunction Could Reduce Exercise Capacity

JinShil Kim, PhD¹, Myeong Gun Kim, MD², SeWon Kang, PhD³, Bong ROUNG Kim, MD⁴, Min Young Baek, MD²,
Yae Min Park, MD^{2,5}, and Mi-Seung Shin, MD^{2,5}

¹Gachon University College of Nursing, Incheon, ²Department of Internal Medicine, Gachon University Gil Medical Center, Incheon, ³Department of Nursing, Dongseo University, Pusan, ⁴Department of Internal Medicine, Seoul Medical Center, Seoul, ⁵Gachon University College of Medicine, Incheon, Korea

Korean Circ J 2016;46:394-401
<http://dx.doi.org/10.4070/kcj.2016.46.3.394>

In the article, "Obesity and Hypertension in Association with Diastolic Dysfunction Could Reduce Exercise Capacity" in Volume 46(3), page 394-401, the 3rd author's affiliation was misspelled. The author's affiliation should have been corrected as follows:

Before correction

¹Gachon University College of Nursing, Incheon, ²Department of Internal Medicine, Gachon University Gil Medical Center, Incheon, ³Dongseoi University College of Nursing, Pusan, ⁴Department of Internal Medicine, Seoul Medical Center, Seoul, ⁵Gachon University College of Medicine, Incheon, Korea

After correction

¹Gachon University College of Nursing, Incheon, ²Department of Internal Medicine, Gachon University Gil Medical Center, Incheon, ³Department of Nursing, Dongseo University, Pusan, ⁴Department of Internal Medicine, Seoul Medical Center, Seoul, ⁵Gachon University College of Medicine, Incheon, Korea

We deeply apologize for any inconvenience it may have caused.