

주요 정신 질환 약물치료의 한국형 알고리즘 개발

The Development of Korean Medication Algorithm for Major Psychiatric Disorder

28

Jun Soo Kwon, M.D.

Department of Psychiatry

Seoul National University College of Medicine & Hospital

E - mail : kwonjs@snu.ac.kr

가

62

Won - Myong Bahk, M.D.

Department of Psychiatry

The Catholic University of Korea, College of Medicine

St. Mary's Hospital

E - mail : wmbahk@catholic.ac.kr

Abstract

Recently the clinical practice guideline and medication algorithm for several disorders have been developed and distributed for an optimal treatment as evidence - based medicine. The Korean Medication Algorithm Project for Major Psychiatric Disorders was initiated by the 'Korean College of Neuropsychopharmacology' in fall 2000, and later the 'Korean Academy of Schizophrenia' joined the project. This article reviews the advantages and limitations of the guideline and the algorithm in general, and specifically reviews the design, process and method of development of the 'Korean Medication Algorithm Project for Major Psychiatric Disorders'.

Keywords : **Algorithm; Medication; Schizophrenia; Bipolar disorder**

1950

1990

(evidence - based)

1.

(informal consensus)’ , ‘
(explicit)’ ,

가

가

(1).

(1). 가

,

가

가 ,

가 .

가

, 가

(2), PORT(Patient Outcome Research Team)

(3), 가가

(International Psychophar-
macology Algorithm Project, IPAP), 가

Expert Consensus Guideline

Series(4),

가

(Texas Medication Algorithm Project)(5)

가

1990

4가

1

(evidence - based)’ , ‘

(formal consensus)’ , ‘

가 , ,

가 . 가 .

가 , 가 , 가 , 가 ,

가 . 1 .

가

,

가

가

가

가 (6).

가

가 2.

‘ (:)

2000 10

Dr. Steven Shon

. 2001 1 ‘ ,

1. (:)

(Korean Medi-

가

cation Algorithm Project for Major Psychiatric Disorders, KMAP)

가


(:)

(:) 2 Task Force Team

가 . (1).


가

2001 10



1.

3.



2.

, 2002 4

. 2001 10

(CINP)

, 2002 8

, 2003 12 10 50

가

2003 1

30

100

가

(2).

가

가 ,

2000

“The Expert Consensus Guideline Series -
Medication Treatment of Bipolar Disorder 2000” (7)

가

가

가 ‘Medication 5.

Treatment of Bipolar Disorder 2000’

RAND Corporation 9

. 가

가 (8). 50

가

/ (first line/preferred choice)

/ (second line/alternate choice)

2

가 , 10 50

4.

(9).

가

가

가

가,

가

가

가

가

