



## Retraction: Application of near-infrared spectroscopy in clinical neurology

Yoo Hwan Kim<sup>1</sup>, Byung-Jo Kim<sup>2</sup>, and Jong Seok Bae<sup>3</sup>

<sup>1</sup>Department of Neurology, Hangeang Sacred Heart Hospital, Hallym University College of Medicine, Seoul, Korea

<sup>2</sup>Department of Neurology, Korea University Anam Hospital, Korea University College of Medicine, Seoul, Korea

<sup>3</sup>Department of Neurology, Kangdong Sacred Heart Hospital, Hallym University College of Medicine, Seoul, Korea

I deeply regret to inform you and request for retraction of the review article entitled "Application of near-infrared spectroscopy in clinical neurology" published in ACN 1) This review article was published in advance to Journal of the Korean Neurological Association. 2) as a review article, which should have been addressed for the publication in ACN as duplication. As the corresponding author, I will take full responsibility and respectfully request for the retraction of the paper from ACN.

1) Kim YH, Paik S, Va ZP, Seok HY, Jeon NJ, Kim BM, et al. Aortic dissection and rupture in a child. *Ann Clin Neurophysiol* 2018;20:3-11.

2) Kim YH, Kim BJ, Bae JS. Application of Near-Infrared Spectroscopy in Neurological Disorders: Especially in Orthostatic Intolerance. *J Korean Neurol Assoc* 2017;35:8-15.