

# Application of sepsis-3 criteria to Korean patients with critical illnesses

Jae Yeol Kim<sup>1\*</sup>, Hwan Il Kim<sup>2\*</sup>, Gee Young Suh<sup>3</sup>, Sang Won Yoon<sup>1</sup>, Tae-Yop Kim<sup>4</sup>, Sang Haak Lee<sup>5</sup>, Jae Young Moon<sup>6</sup>, Jae-Young Kwon<sup>7</sup>, Sungwon Na<sup>8</sup>, Ho Geol Ryu<sup>9</sup>, Jisook Park<sup>10</sup>, Younsuck Koh<sup>11</sup>


<sup>1</sup>Department of Internal Medicine, Chung-Ang University College of Medicine, Seoul; <sup>2</sup>Division of Pulmonary and Critical Care Medicine, Department of Internal Medicine, Hallym University Medical Center, Anyang; <sup>3</sup>Department of Critical Care Medicine, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul; <sup>4</sup>Department of Anesthesiology, Konkuk University Medical Center, Konkuk University School of Medicine, Seoul; <sup>5</sup>Department of Internal Medicine, St. Paul's Hospital, College of Medicine, The Catholic University of Korea, Seoul; <sup>6</sup>Division of Pulmonary and Critical Care Medicine, Department of Internal Medicine, Chungnam National University Hospital, Daejeon; <sup>7</sup>Department of Anesthesia and Pain Medicine, Pusan National University School of Medicine, Busan; <sup>8</sup>Department of Anesthesia and Pain Medicine, Yonsei University College of Medicine, Seoul; <sup>9</sup>Department of Anesthesiology and Pain Medicine, Seoul National University College of Medicine, Seoul; <sup>10</sup>Department of Software Convergence, Seoul Women's University, Seoul; <sup>11</sup>Department of Pulmonary and Critical Care Medicine, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

2019 February 34(1):30-37 / <https://doi.org/10.4266/acc.2018.00318>

## Erratum: Correction of Figure

We found an error in this article. Figure 2 was published incorrectly. In the legends of the figure, SOFA and qSOFA should be green and blue lines, respectively. The correct figure is as following.

We apologize for any inconvenience that this may have caused.



**Figure 2.** Area under the receiver operating characteristic curves (AUROCs) for discriminatory capacity for 28-day mortality and ICU mortality. (A) Twenty-eight-day mortality. AUROC: SOFA, 0.74 (95% CI, 0.68 to 0.79); qSOFA, 0.59 (95% CI, 0.53 to 0.66); SIRS, 0.60 (95% CI, 0.54 to 0.66). (B) ICU mortality. AUROC: SOFA, 0.74 (95% CI, 0.68 to 0.81); qSOFA, 0.59 (95% CI, 0.52 to 0.66); SIRS, 0.63 (95% CI, 0.57 to 0.70). SOFA: Sequential Organ Failure Assessment; qSOFA: quick SOFA; SIRS: systemic inflammatory response syndrome; CI: confidence interval; ICU: intensive care unit.

## Erratum

\*The first two authors contributed equally to this study.

Copyright © 2019 The Korean Society of Critical Care Medicine

This is an Open Access article distributed under the terms of Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0/>) which permits unrestricted noncommercial use, distribution, and reproduction in any medium, provided the original work is properly cited.