



This erratum corrects an error in the legend of Fig.1 in the article entitled “Prevalence of a single-nucleotide variant of SARS-CoV-2 in Korea and its impact on the diagnostic sensitivity of the Xpert Xpress SARS-CoV-2 assay,” by Ki Ho Hong, Ji Won In, Jaehyeon Lee, So Yeon Kim, Kyoung Ah Lee, Seunghyun Kim, Yeoungim An, Donggeun Lee, Heungsung Sung, Jae-Seok Kim, and Hyukmin Lee, published in Ann Lab Med 2022; 42(1): 96-99 (<https://doi.org/10.3343/alm.2022.42.1.96>).

Before correction:

Page 98:

Fig. 1. Sanger sequencing results around position 29,179 in the *N* gene of (A) clinical specimen #5 and (B) clinical specimen #8.
Abbreviation: N, nucleocapsid.

After correction:

Page 98:

Fig. 1. Sanger sequencing results around position 29,179 in the *N* gene of (A) clinical specimen #8 and (B) clinical specimen #5.
Abbreviation: N, nucleocapsid.



© Korean Society for Laboratory Medicine

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.