



genes 가  
 ytogenes 1 listeria monoc -  
 증 례  
 : , 40 ,  
 : ,  
 : 1



Fig. 1. *Listeria monocytogenes* in Gram stain of cerebrospinal fluid. Note resemblance diphtheroids.

가 , 1997 8 17  
 azathioprine, cyclosporine  
 prednisolone 10  
 가 :  
 : 90/50 mmHg, 88 / ,  
 38 , 20 / ,  
 Ker -  
 nig's sign Bruzinski's sign

: Penicillin G 500 IU 6  
 L. mo -  
 nocytoenes ampicillin 1.5 g 4  
 ampicillin 7 37.5  
 10.0 g/dl, 8,120 /mm<sup>3</sup>  
 ( 67.2%) , ESR 10 mm/hr, CRP

11.3 g/dl,  
 21,300/mm<sup>3</sup>( 88.2%, 11.8%)  
 , 260,000/mm<sup>3</sup>, ESR 21 mm/hr, CRP +4  
 6.14 g/dl, 2.93 g/dl, Total biliru -  
 bin 5.5 mg/dl, AST 22IU/L, ALT 15IU/L, ALP 103IU  
 /L 22 mmHg ,  
 288/mm<sup>3</sup>( 85%, 15%),  
 27/mm<sup>3</sup>, Sugar 44 mg/dl, protein 150 mg/dl  
 listeria mono -  
 cytogenes가 (Fig. 1),

고 안

(13.6%) (cortico -  
 steroid, azathioprine, antithymocyte globulin)

1-4)  
 aspergi -  
 llus, candida, cryptococcus, coccidioides, toxoplasma,  
 listeria, klebsiella .<sup>10)</sup> *Listeria* som -  
 atic(O), flagellar(H)

가  
 가 가 ,  
 listeria monocyt -  
 ogenes ,  
 .<sup>20)</sup>

가 10 penicillin G ampicillin 10  
4 ampicillin

0 1/mm<sup>3</sup>,

<sup>6-8)</sup> ampicillin penicillin  
aminoglycoside가

3 13.5% 4~6  
0 44% penicillin G 320,000 480,000 units/kg/day ampi-  
cillin 200 300 mg/kg/day, 6 가

<sup>10,11)</sup> Penicillin trimethoprim - sulfamet-  
hoxazole 15~75 mg/kg/day 8

cryptococcus neoformans, listeria mono-  
cytogenes coccidioides immitis  
Marson azathioprine prednisolone  
가

<sup>9-12)</sup> listeria  
ria

L. monocytogenes in vitro  
(penicillin, chloramphenical, erythromycin,  
tetracycline, sulfonamides)

<sup>15-18)</sup> erythromycin, tetracycline, chloramphenicol  
가 listeria 가  
가 pen-

cillin ampicillin cephalosporin  
<sup>11,13)</sup> Mckinnon(1961) penicillin,  
chloramphenicol streptomycin  
meningitis  
Louria, Hall, White  
ampicillin <sup>8,14,17)</sup> penicillin  
cyclosporine, aza-

thioprine prednisolone  
가 listeria monocytogenes  
가 listeria monocytogenes  
penicillin G  
listeria monocyto-

genes가 ampicillin 7  
37 4~6

가 10 penicillin G ampicillin 10  
4 ampicillin

0 1/mm<sup>3</sup>,

<sup>6-8)</sup> ampicillin penicillin  
aminoglycoside가

3 13.5% 4~6  
0 44% penicillin G 320,000 480,000 units/kg/day ampi-  
cillin 200 300 mg/kg/day, 6 가

<sup>10,11)</sup> Penicillin trimethoprim - sulfamet-  
hoxazole 15~75 mg/kg/day 8

cryptococcus neoformans, listeria mono-  
cytogenes coccidioides immitis  
Marson azathioprine prednisolone  
가

<sup>9-12)</sup> listeria  
ria

L. monocytogenes in vitro  
(penicillin, chloramphenical, erythromycin,  
tetracycline, sulfonamides)

<sup>15-18)</sup> erythromycin, tetracycline, chloramphenicol  
가 listeria 가  
가 pen-

cillin ampicillin cephalosporin  
<sup>11,13)</sup> Mckinnon(1961) penicillin,  
chloramphenicol streptomycin  
meningitis  
Louria, Hall, White  
ampicillin <sup>8,14,17)</sup> penicillin  
cyclosporine, aza-

thioprine prednisolone  
가 listeria monocytogenes  
가 listeria monocytogenes  
penicillin G  
listeria monocyto-

genes가 ampicillin 7  
37 4~6

요 약

중심 단어 :

REFERENCES

- 1) Rifkind D, Marchioro TL, Wadde11 WR, et al. *Infectious diseases associated with renal homotransplantation. Incidence, type, and predisposing factors. Differential diagnosis and management. JAMA 1964;189:397-407.*
- 2) Fulginiti VA, Scribner R, Groth CG, et al. *Infections in recipients of liver homografs. N Engl J Med 1968;279: 619-26.*
- 3) Stinson EB, Beiber CP, Griep RB, et al. *Infectious complications after cardiac transplantation in man. Ann Intern Med 1971;74:22-36.*
- 4) Remington JS, Gaines JD, Griep RB, et al. *Further experience with infection after cardiac transplantation. Transplant Proc 1972;4:699-705.*
- 5) Louria DB, Hensle T, Armstrong D, et al. *Listeriosis complicating malignant diseases-a new association. Ann Intern Med 1967;67:261-81.*
- 6) Burke D, Ward W, Lucey M. *Listeriosis in man. Med J Aust 1973;1:292-4.*
- 7) Simpson JF, Leddy JP, Hane JD. *Listeriosis complicating lymphoma: Report of four cases and interpretive review of pathogenic factors. Am J Med 1967;43:39-48.*
- 8) Louria DB, Blevins A, Armstrong D. *Listeria infections. Ann NY Acad Sci 1970;174:545-51.*
- 9) Mason JW, Stinson EB, Hunt SA. *Infections after cardiac*

- transplantation: Relation to rejection therapy. Ann Intern Med 1976;85:69-72.*
- 10) Britt RH, Enzmann DR, Remington JS. *Intracranial infection in cardiac transplant recipients. Ann Neurol 1981; 9:107-19.*
  - 11) MacNair DR, White JE, Graham JM. *Ampicillin in the treatment of Listeria monocytogenes meningitis. Lancet 1968; 1:16-8.*
  - 12) Simpson JF, Leddy JP, Hane JD. *Listeriosis complication lymphoma: Report of four cases and interpretive review of pathogenic factors. Am J Med 1967;43:39-48.*
  - 13) Gordon RD, Barrett FF, Clark DJ. *Influence of several antibiotics, singly, and in combination on the growth of Listeria monocytogenes. J Pediatr 1972;80:667-70.*
  - 14) Hall WA, Martinez AJ, Dummer JS, et al. *Central nervous system infections in heart and heart-lung transplant recipients. Arch Neurol 1989;46:173-7.*
  - 15) Kass EH. *Hormones and host resistance to infection. Bacteriol Rev 1960;24:177-85.*
  - 16) Louria DB, Brown HG. *Effects of cortisone on experimental fungus infections. Ann NY Acad Sci 1960;89:39-46.*
  - 17) White RP. *Factors affecting the antibody response. Br Med Bull 1963;19:207-13.*
  - 18) Buchner LH, Schneierson SS. *Clinical and laboratory aspects of Listeria monocytogenes infections with a report of ten cases. Ann J Med 1968;45:904-21.*
  - 19) Ford PM, Herzberg L, Ford SE. *Listeria monocytogenes: Six cases affecting the central nervous system. Q J Med 1968;37:281-9.*
  - 20) Watson GW, Fuller TJ, Elms J, et al. *Listeria Cerebritis: Relapse of Infection in Renal Transplant patient. Arch Intern Med 1978;138:83-7.*