

김 준¹ · 최기준¹ · 남기병¹ · 이철환¹ · 김재중¹ · 박종훈¹ · 진영수² · 김유희¹

¹Division of Cardiology, Department of Internal Medicine, ²Sports Medicine, Asan Medical Center, University of Ulsan, College of Medicine, Seoul, Korea

KEY WORDS : QT dispersion · Exercise · Hypertrophic cardiomyopathy · Left ventricular hypertrophy.

1524

Korean Circulation J 2000;30(12):1524-1529




Fig. 1. 각 군에서의 운동시간 경과에 따른 QT간격분산의 변화.




Fig. 2. 각 군에서 운동시간 경과에 따른 QTcd의 변화.

Table 3. Serial changes of QTcd during and after exercise in each group

	QTcd0*	QTcdp†	QTcd1‡	Tcd5*
HCMP	59.5 ± 22.0	81.6 ± 39.3	82.8 ± 26.6	70.6 ± 21.8
Athlete's heart	36.1 ± 14.0	68.6 ± 20.3	62.1 ± 16.3	49.5 ± 15.4
HTN c LVH	42.4 ± 15.5	53.8 ± 18.9	45.6 ± 25.9	45.5 ± 14.5
Normal	42.5 ± 12.0	69.7 ± 22.6	61.9 ± 21.5	49.5 ± 15.4

Data presented as mean ± standard deviation

* : p<0.005 between HCMP and other groups

† : p<0.05 between HCMP and HTN c LVH groups

‡ : p<0.05 between HCMP and other groups

QT
5 QT 1
QT QT
가 QT
QT QTcd
, , ,
, , ,
고 찰
QT

Ichkhan
QT QT 陽 QT
, 가 QT
QT 가
가 , QT
가 가
Halle QT
endurance athletes
가 , QT
QT QT
가 QT
QT QT
Roukeman Bruce
protocol QT QT
가 가
21) Naka
가

REFERENCES

- 1) Mirvis DM. *Spatial variation of QT intervals in normal persons and patients with acute myocardial infarction*. *J Am Coll Cardiol* 1985;5:625-31.
- 2) Higham PD, Hilton CJ, Aitcheson DA, Furniss SS, Bourke JP, Campbell RWF. *QT dispersion does reflect regional variation in ventricular recovery*. *Circulation* 1992;86(suppl 1):392.
- 3) Hugham PD, Furniss SS, Campbell RW. *QT dispersion and components of the QT interval in ischemia and infarction*. *Br Heart J* 1995;73:32-6.
- 4) Moreno FL, Villanueva T, Karagounis LA, Anderson JL. *Reduction in QT interval dispersion by successful thrombolytic therapy in acute myocardial infarction*. TEAM-2 Study Investigators. *Circulation* 1994;90:94-100.
- 5) Leitch J, Basta M, Dobson A. *QT dispersion does not predict early ventricular fibrillation after acute myocardial infarction*. *Pacing & Clinical Electrophysiology* 1995;18 (1 Pt 1):45-8.
- 6) Okin PM, Devereux RB, Howard BV, Fabsitz RP, Lee ET, Woltv TK. *Assessment of QT interval and QT disper-*

- sion for prediction of allcause and cardiovascular mortality in American Indians: the Strong Heart Study. *Circulation* 2000;101:61-6.
- 7) de Bruyne MC, Hoes AW, Kors JA, Hofman A, van Bommel JH, Grobbee DE. *QTc dispersion predicts cardiac mortality in the elderly: the Rotterdam Study*. *Circulation* 1998;97:467-72.
 - 8) Zabel M, Portnoy S, Franz MR. *Electrocardiographic indexes of dispersion of ventricular repolarization: An isolated heart validation study*. *J Am Coll Cardiol* 1995; 25:746-52.
 - 9) Buja G, Miorelli M, Turrini P, Melacini P, Nava A. *Comparison of QT dispersion in hypertrophic cardiomyopathy between patients with and without ventricular arrhythmias and sudden death*. *Am J Cardiol* 1993;72:973-6.
 - 10) Maron BJ, Roberts WC, McAllister HA, Rosing DR, Epstein SE. *Sudden death in young athletes*. *Circulation* 1980;62:218-29.
 - 11) Maron BJ, Epstein SE, Roberts WC. *Causes of sudden death in competitive athletes*. *J Am Coll Cardiol* 1986;7: 204-14.
 - 12) Maron BJ, Roberts WC, Epsteins WC. *Sudden death in hypertrophic cardiomyopathy: A profile of 78 patients*. *Circulation* 1982;65:1388-94.
 - 13) Koga Y, Ogata M, Kihara K. *Sudden death in hypertrophic and dilated cardiomyopathy* *Jpn Circ J* 1989;53: 1546-56.
 - 14) Nam GB, Lim HY, Choi KJ, Song JK, Kim JJ, Park SJ, et al. *Delayed recovery of QT dispersion after maximal exercise in patients with hypertrophic cardiomyopathy*. *Pacing and Clinical electrophysiol* 1999;22 (Part II):A6.
 - 15) Ichkhan K, Molnar J, Somberg J. *Relation of left ventricular mass and QT dispersion in patients with systemic hypertension* *Am J Cardiol* 1997;79:508-11.
 - 16) Halle M, Huonker M, Hohnloser M, Alivertis M, Berg A, Keul J. *QT dispersion in exercise-induced myocardial hypertrophy*. *Am Heart J* 1999;138:309-12.
 - 17) Devereux RB, Reichek N. *Echocardiographic determination of left ventricular mass in men: anatomic validation of the method*. *Circulation* 1977;55:613-18.
 - 18) Koren MJ, Devereux RB, Casale PN, Savage DD, Laragh JH. *Relation of left ventricular mass and geometry to morbidity and mortality in uncomplicated essential hypertension*. *Ann Intern Med* 1991;114:345-52.
 - 19) Statters DJ, Malik M, Ward DE, Camm AJ. *QT dispersion: problems of methodology and clinical significance* *J Cardiovasc Electrophysiol* 1994;5:672-85.
 - 20) Ahnve S. *Correction of QT interval for heart rate: Review of different formulas and the use of Bazett's formula in myocardial infarction*. *Am Heart J* 1985;109:568-74.
 - 21) Roukema G, Singh JP, Meijs M, Carvalho C, Hart G. *Effect of exercise-induced ischemia on QT interval dispersion*. *Am Heart J* 1998;135:88-92.
 - 22) Naka M, Shiotani I, Koretsune Y, Imai K, Akamatsu Y, Hishida E, et al. *Occurrence of sustained increase in QT dispersion following exercise in patients with residual myocardial ischemia after healing of anterior wall myocardial infarction*. *Am J Cardiol* 1997;80:1528-31.
 - 23) Koide Y, Yotsukura M, Tajino K, Yoshino H, Ishikawa K. *Enhanced detection of ischemic but viable myocardium by QT interval dispersion on treadmill exercise electrocardiograms of patients with healed anterior wall myocardial infarcts*. *Clin Cardiol* 2000;23:277-84.
 - 24) Stoletniy LN, Pai RG. *Value of QT dispersion in the interpretation of exercise test in women*. *Circulation* 1997; 96:904-10.
 - 25) Musha H, Kunishima T, Awaya T, Iwasaki T, Nakashima J, Nakamura T, et al. *Influence of exercise on QT dispersion in ischemic heart disease* *Jpn Heart J* 1997;38:219-26.
 - 26) Malik M, Camm AJ. *Mystery of QTc Interval Dispersion* *Am J Cardiol* 1997;79:785-7.