

CORRECTION

혈관 색전술시 사용한 금속 코일을 방사선 추적하여 최소 절개술로 절제한 공장 dieulafoy 병변 1예

서광일, 문원, 이천우, 박선자, 박무인, 김성은, 김재현, 윤기영¹, 장희경²
고신대학교 의과대학 내과학교실, 외과학교실¹, 병리학교실²

Minimal Resection of Jejuna Dieulafoy's Lesion Using an Intraoperative Fluoroscopic Localization of the Metallic Coils Used in Angiography

Kwang Il Seo, Won Moon, Cheon Woo Lee, Seun Ja Park, Moo In Park, Sung Eun Kim, Jae Hyun Kim, Ki Young Yoon¹ and Hee Kyung Chang²

Departments of Internal Medicine, Surgery¹ and Pathology², Kosin University College of Medicine, Busan, Korea

Korean J Gastroenterol 2017;69:135-138 <https://doi.org/10.4166/kjg.2017.69.2.135>

대한소화기학회지에 게재된 위 논문에서 여섯 번째 저자의 영문명에 오류가 있어 정정합니다.
This correction is being published to correct the 6th author's English name in above article.

Before correction

Kwang Il Seo, Won Moon, Cheon Woo Lee, Seun Ja Park, Moo In Park, Seung Eun Kim, Jae Hyun Kim, Ki Young Yoon¹ and Hee Kyung Chang²

After correction

Kwang Il Seo, Won Moon, Cheon Woo Lee, Seun Ja Park, Moo In Park, Sung Eun Kim, Jae Hyun Kim, Ki Young Yoon¹ and Hee Kyung Chang²