

Effect of orthodontic bonding with different surface treatments on color stability and translucency of full cubic stabilized zirconia after coffee thermocycling

Yasamin Babae Hemmati^a 
Hamid Neshandar Asli^b
Alireza Mahmoudi
Nahavandi^c
Nika Safari^d
Mehran Falahchai^b 

^aDental Sciences Research Center,
Department of Orthodontics, School of
Dentistry, Guilan University of Medical
Sciences, Rasht, Iran

^bDental Sciences Research Center,
Department of Prosthodontics, School
of Dentistry, Guilan University of
Medical Sciences, Rasht, Iran

^cColor Imaging and Color Image
Processing Department, Institute for
Color Science and Technology, Tehran,
Iran

^dDental Sciences Research Center,
School of Dentistry, Guilan University
of Medical Sciences, Rasht, Iran

Objective: To assess the color stability and translucency of full cubic stabilized zirconia (FSZ) following orthodontic bonding with different surface treatments and coffee thermocycling (CTC). **Methods:** This *in vitro* study was conducted on 120 disc-shaped specimens of FSZ. Thirty specimens were selected as the control group and remained intact. The remaining specimens were randomly divided into three groups based on the type of surface treatment (n = 30): airborne particle abrasion (APA), silica-coating (CoJet), and carbon dioxide (CO₂) laser. After metal bracket bonding in the test groups, debonding and polishing were performed. Subsequently, all specimens underwent CTC (10,000 cycles). Color parameters, color difference (ΔE_{00}), and translucency parameter (TP) were measured three times at baseline (t0), after debonding and polishing (t1), and after CTC (t2). Data were statistically analyzed ($\alpha = 0.05$). **Results:** Significant difference existed among the groups regarding ΔE_{00t0t2} ($p < 0.001$). The APA group showed minimum ($\Delta E_{00} = 1.15 \pm 0.53$) and the control group showed maximum ($\Delta E_{00} = 0.19 \pm 0.02$) color stability, with no significant difference between the laser and CoJet groups ($p = 0.511$). The four groups were significantly different regarding ΔTP_{t0t2} ($p < 0.001$). Maximal increases in TP were noted in the CoJet (1.00 ± 0.18) and APA (1.04 ± 0.38) groups while minimal increase was recorded in the control group (0.1 ± 0.02). **Conclusions:** Orthodontic treatment makes zirconia restorations susceptible to discoloration and increased translucency. Nonetheless, the recorded ΔE_{00} and ΔTP did not exceed the acceptability threshold.

Key words: Y-TZP ceramic, Brackets, Color, Surface treatment

Received June 28, 2022; Revised November 18, 2022; Accepted November 27, 2022.

Corresponding author: Mehran Falahchai.

Assistant Professor, Dental Sciences Research Center, Department of Prosthodontics, School of Dentistry, Guilan University of Medical Sciences, Rasht-Fooman Road, Rasht 0098, Iran.

Tel +98-9119427927 e-mail Mehran.falahchai@gmail.com

How to cite this article: Babae Hemmati Y, Neshandar Asli H, Mahmoudi Nahavandi A, Safari N, Falahchai M. Effect of orthodontic bonding with different surface treatments on color stability and translucency of full cubic stabilized zirconia after coffee thermocycling. Korean J Orthod 2023;53(3):139-149. https://doi.org/10.4041/kjod22.144

© 2023 The Korean Association of Orthodontists.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

Monolithic zirconia restorations are superior to porcelain-veneered zirconia restorations in regards to fracture and chipping,¹⁻³ however, their main drawback is low translucency.¹ One suggested strategy to increase translucency is to increase the yttrium oxide content (Y_2O_3) and subsequently the cubic phase.⁴ Partially stabilized zirconia is obtained by addition of 4–6 mol% Y_2O_3 while full cubic stabilized zirconia (FSZ) is obtained by addition of over 8 mol% Y_2O_3 .^{5,6} FSZ has a lower alumina content, relatively fine particles, and optically isotropic cubic phase. Thus, it has lower grain boundary and light scattering, and higher translucency.⁷⁻⁹

Correction of crowding and tooth alignment not only provides optimal esthetics, but also improves the periodontal status and enhances oral hygiene.¹⁰ Thus, with an increase in older individuals seeking orthodontic treatment,¹¹ orthodontists encounter patients with various types of fixed dental restorations including zirconia. However, information regarding the effect of orthodontic treatment on different properties of zirconia is scarce.

Color parameters such as color stability and translucency are among the important clinical success criteria for any restoration.^{1,12,13} Thus, it is imperative to assess the effect of different processes on these parameters. In orthodontic bracket bonding to zirconia, it is essential to create a reliable bond strength to withstand orthodontic and masticatory forces.¹⁴ Nonetheless, orthodontic bracket bonding on ceramic restorations may increase the surface roughness (due to surface treatment or residual resin removal), change the esthetic appearance of restoration, decrease its longevity, enhance plaque retention, leading to periodontal problems and restoration discoloration.¹⁵ Since zirconia is devoid of glass phase, hydrofluoric acid cannot be used to enhance its bond strength.¹⁶ The suggested strategies for surface treatment of zirconia to enhance its bond strength include airborne particle abrasion (APA), silica-coating, and laser irradiation.¹⁶ The effect of different surface treatments in the process of orthodontic bonding, and orthodontic treatment in general, on color parameters and color stability of enamel,¹⁷⁻²⁴ and feldspathic porcelain^{15,25-27} has been previously studied. To the best of the authors' knowledge, no previous study has addressed the effect of orthodontic treatment on color parameters of zirconia restorations. Thus, this study aimed to assess the color properties, color stability, and translucency of FSZ following orthodontic bonding with different surface treatments and coffee thermocycling (CTC). The null hypothesis was that the color properties, color stability, and translucency of FSZ would not be influenced by orthodontic bonding with different surface treatments and CTC.

MATERIALS AND METHODS

A total of 120 disc-shaped specimens with 10 mm diameter and 1 mm thickness were fabricated from pre-sintered zirconia blocks (Ceramill Zolid FX Multilayer; Amann Girrbach, Koblach, Austria) using a computer-aided design and computer-aided manufacturing (CAD-CAM) milling machine (Ceramill motion 2; Amann Girrbach), and sintered according to the manufacturer's instructions. The bonding surface of specimens was wet-polished using 600- to 1,200-grit abrasive papers with a grinding/polishing machine (300 rpm, 15 seconds, 10-N load). The final thickness of specimens was measured by a digital caliper (Mitutoyo ABSOLUTE 500-197-20; Mitutoyo Corp., Kanagawa, Japan). The fabricated specimens were then assigned to the following four groups ($n = 40$) for different surface treatments: 1) Control group with no surface treatment and completely intact specimens that did not undergo orthodontic bonding; 2) APA; 3) Silica-coating with CoJet; and 4) carbon dioxide (CO_2) laser.

Prior to surface treatments, the specimens were cleaned in an ultrasonic bath containing 96% isopropanol at room temperature for 3 minutes, and were then dried. In the APA group, the bonding surface of specimens was airborne-particle abraded by an intraoral sandblaster (Microsandblaster; Dento-Prep Ronvig, Daugård, Denmark) with 25- μ m alumina particles from 10 mm distance with 0.25 MPa pressure, and 90-degree angle for 20 seconds.²⁸ In the CoJet group, 30- μ m silica-coated alumina particles (CoJet sand; 3M ESPE, Seefeld, Germany) were used by an intraoral sandblaster (Microsandblaster; Dento-Prep Ronvig) on the surface from 10 mm distance with 0.25 MPa pressure, and 90-degree angle for 20 seconds.^{16,28} In the laser group, the surface of specimens was covered with graphite powder (HB pencil) and subjected to CO_2 laser (DS 10UD; Daeshin, Yongin, Korea) under coolant. The laser parameters included 10,600 nm wavelength, 4 W power, 159.22 mJ energy density, 50 seconds irradiation time, 4 mm focal spot, and continuous-wave mode.^{29,30}

Following the surface treatments and prior to quantitative assessment of the surface, the specimens were completely rinsed, and allowed 24 hours to dry. The mean surface roughness (Ra) of specimens was measured by a profilometer (TR200; Time Group Inc., Beijing, China).

One additional specimen was fabricated in each study group for qualitative assessment of the morphological surface changes caused by each surface treatment using scanning electron microscopy (SEM, Vega; Tescan, Brno, Czech Republic). Micrographs were captured at $\times 500$ magnification (Figure 1).

Prior to bonding, the specimens were cleaned again




Figure 1. Scanning electron microscopic micrographs of the zirconia surface after different surface treatments. **A**, Control. **B**, Airborne particle abrasion. **C**, CoJet. **D**, CO₂ laser (×500 magnification).




Figure 2. Scanning electron microscopic micrographs of the zirconia surface after polishing (**A**) airborne particle abrasion; (**B**) CoJet; (**C**) CO₂ laser (×80 magnification).

in an ultrasonic bath and air-dried. The bonding process was conducted according to the manufacturer's instructions. First, silane primer containing MDP (Clearfil Ceramic primer; Kuraray Medical, Tokyo, Japan) was applied on the bonding surface. Next, mandibular central incisor metal brackets (American orthodontics, Sheboygan, WI, USA) were bonded to the treated surface with adhesive (GC Ortho Connect; GC Orthodontics, Breckerfeld, Germany). After removal of excess adhesive, the mesial and distal surfaces of metal brackets were light-cured for 20 seconds using a curing unit (Elipar Freelight 2; 3M ESPE, St Paul, MN, USA) with a light intensity of 650 mW/cm².

All specimens (in control and bonded groups) were stored in distilled water at 37°C for 24 hours. Next, they underwent 10,000 thermal cycles between 5–55°C with a dwell time of 30 seconds and transfer time of 10 seconds.³¹ In all bonded specimens, brackets were removed by gentle force using a plier. To remove the residual adhesive, a 30-flute tungsten carbide bur (0197; Drendel and Zweiling Diamant GmbH, Lemgo, Germany) was used at low-speed (20,000 rpm)³² under copious water irrigation.

After ensuring the absence of residual adhesive on the surface by inspection under loupe magnification, polishing was performed by using a 3-step ceramic polishing system (Illume 3 Step Zirconia RA; Prima Dental Manu-

facturing Ltd, Gloucester, UK) with a low-speed hand-piece (10,000 rpm) with gentle pressure under water coolant. A new polishing kit was used for every 5 specimens. The specimens were polished with brushing movement in one direction for 30 seconds and in another direction with 90-degree angle relative to the previous direction for another 30 seconds. The polishing process was continued until the zirconia surface appeared smooth to the naked eye. Moreover, to ensure optimal quality of polishing, the surface of two additional specimens in each group underwent SEM assessment at ×80 magnification after polishing (Figure 2). All procedures were performed by the same operator.

For CTC, all groups underwent 10,000 thermal cycles between 5–55°C with a dwell time of 30 seconds and a transfer time of 10 seconds. Coffee solution was prepared by adding a rounded tablespoon coffee to 177 mL of water according to previous studies.^{1,13} The coffee solution was refreshed every 12 hours. After CTC, the specimens were brushed circumferentially with toothpaste under running water 12 times and dried.^{1,13}

A spectrophotometer was used for colorimetry (11 Pro2 Spectrophotometer; Xrite, Grand Rapids, MI, USA). The aperture size of the instrument was 4 mm in diameter. The instrument spectral range was between 380 to 730 nm with 10 nm interval with the circumferential 0°/45° viewing geometry. Colorimetry was repeated three times for the test groups that underwent orthodontic treat-

ment: before surface treatment (baseline or t0), after debonding and polishing (t1), and after CTC (t2), and twice for the control group: before surface treatment (baseline or t0) and after CTC (t2) (Figure 3). Prior to the measurements, the specimens were cleaned in an ultrasonic bath and dried. A scalpel was used to create an indentation in the specimen margin at one side to mark the measurement surface and enable reproducible placement of specimens in the spectrophotometer. For colorimetry, standard black and white backgrounds (Sealed Paper Charts; Leneta, Bergen, NJ, USA) were used. The specimens were placed at the center, and measurements were repeated three times for each specimen. The L*, a*, b*, C*, and h° parameters were recorded. L* indicates lightness, a* indicates redness (positive)-greenness (negative), b* indicates yellowness (positive)-blueness (negative), C* indicates chroma, and h° indicates the hue angle. To calculate the color difference (ΔE), the values measured against the white background were used with the CIEDE2000 (ΔE₀₀) formula:³³

$$\Delta E_{00} = [(\Delta L'/K_L S_L)^2 + (\Delta C'/K_C S_C)^2 + (\Delta H'/K_H S_H)^2 + R_T(\Delta C'/K_C S_C)(\Delta H'/K_H S_H)]^{1/2}$$

In this study, CIEDE2000 50% perceptibility threshold (PT) equal to 0.8 units and 50% acceptability threshold (AT) equal to 1.8 units were considered acceptable ac-

ording to Paravina et al.³⁴

The translucency parameter (TP) was calculated according to the following formula based on the difference in L*, a*, and b* parameters measured against the standard white and black backgrounds:

$$TP = [(L_B^* - L_W^*)^2 + (a_B^* - a_W^*)^2 + (b_B^* - b_W^*)^2]^{1/2}$$

Also, PT of translucency was considered to be 0.62 and AT of translucency was considered to be 2.62.³⁵ The TP was calculated at t0, t1, and t2 for the test groups, and t0 and t2 for the control group. The TP of the control group was used as the baseline TP for all groups.

The Shapiro-Wilk test was applied to analyze the normality of data distribution. The homogeneity of variances was evaluated by the Levene's test. Repeated measures analysis of variance (ANOVA) was applied to compare color parameters, TP, and ΔE₀₀ within each test group at different time points, followed by pairwise comparisons by the Bonferroni test. Paired t-test was used to compare color parameters and TP in the control group between t0 and t2. Other comparisons were made by ANOVA. Pairwise comparisons were performed by the Tukey's test in case of homogeneity of variances, and Games-Howell test in case of non-homogeneity of variances. Accordingly, ANOVA followed by Tukey's test (for




Figure 3. Schematic view of the experimental process. APA, airborne particle abrasion; t0, baseline; t1, after debonding and polishing; t2, after coffee thermocycling.

pairwise comparisons) were applied to compare TP and ΔE_{00} among different groups at each time point; whereas, ANOVA followed by Games–Howell test (for pairwise comparisons) were applied to compare $\Delta E_{00,t0t2}$, TP at t2, and ΔTP (changes in TP) based on different surface treatments. All statistical analyses were carried out using SPSS version 26 (IBM Co., Armonk, NY, USA) at 0.05 level of significance.

RESULTS

The mean and standard deviation of surface roughness were $0.13 \pm 0.02 \mu\text{m}$ in the control group, $0.37 \pm 0.05 \mu\text{m}$ in the APA group, $0.33 \pm 0.05 \mu\text{m}$ in the CoJet group, and $0.18 \pm 0.03 \mu\text{m}$ in the laser group (Figure 1). ANOVA revealed a significant difference in this regard among the groups ($p < 0.001$, $F = 329.80$). Pairwise comparisons showed that the surface roughness was

highest in APA group, and then CoJet, laser and control in decreasing order with significant differences between the groups ($p < 0.05$).

Repeated measures ANOVA indicated that the changes in L^* , a^* , and h° at different time points were significant within each test group ($p < 0.001$). All pairwise comparisons of different time points revealed significant differences ($p < 0.001$). Regarding the ascending trend of change in b^* parameter from t0 to t2, significant differences between different time points were only noted in the CoJet group ($p < 0.001$). This trend was not significant from t0 to t1 ($p = 0.197$), but the changes from t1 to t2, and t0 to t2 were significant ($p < 0.001$). Regarding the descending trend of change in C^* , this change was only significant in the CoJet group such that all pairwise comparisons yielded significant differences ($p < 0.001$). In the control group, all color parameters experienced a significant change between t0 to t2 according

Table 1. Mean and standard deviation in L^* , a^* , b^* , C^* , and h° parameters in the four groups at the three time points (n = 40)

| Variable | Group | Time point | | | p-value (F) |
|-----------|---------|---------------------|---------------------|---------------------|---------------------------|
| | | t0 | t1 | t2 | |
| L^* | APA | 61.58 ± 0.61^a | 61.12 ± 0.64^b | 60.38 ± 0.62^c | $< 0.001 (94.37)^*$ |
| | Laser | 61.16 ± 0.45^a | 61.01 ± 0.37^b | 60.81 ± 0.37^c | $< 0.001 (24.02)^*$ |
| | CoJet | 60.51 ± 0.49^a | 60.37 ± 0.49^b | 60.10 ± 0.54^c | $< 0.001 (13.01)^*$ |
| | Control | 61.11 ± 0.63^a | - | 60.95 ± 0.63^b | $< 0.001 (29.36)^\dagger$ |
| a^* | APA | -1.38 ± 0.12^a | -1.43 ± 0.13^b | -1.51 ± 0.06^c | $< 0.001 (21.38)^*$ |
| | Laser | -1.44 ± 0.10^a | -1.48 ± 0.10^b | -1.53 ± 0.05^c | $< 0.001 (16.86)^*$ |
| | CoJet | -1.38 ± 0.12^a | -1.43 ± 0.12^b | -1.52 ± 0.08^c | $< 0.001 (103.64)^*$ |
| | Control | -1.40 ± 0.09^a | - | -1.50 ± 0.10^b | $< 0.001 (16.22)^\dagger$ |
| b^* | APA | -7.04 ± 0.16 | -6.99 ± 0.18 | -6.91 ± 0.22 | $0.051 (4.02)^*$ |
| | Laser | -7.01 ± 0.25 | -6.97 ± 0.25 | -6.93 ± 0.14 | $0.179 (1.87)^*$ |
| | CoJet | -6.97 ± 0.16^a | -6.97 ± 0.16^a | -6.94 ± 0.16^b | $< 0.001 (117.67)^*$ |
| | Control | -7.00 ± 0.21^a | - | -6.93 ± 0.20^b | $< 0.001 (28.19)^\dagger$ |
| C^* | APA | 7.17 ± 0.18 | 7.14 ± 0.19 | 7.07 ± 0.23 | $0.132 (2.36)^*$ |
| | Laser | 7.15 ± 0.26 | 7.13 ± 0.26 | 7.10 ± 0.14 | $0.352 (0.89)^*$ |
| | CoJet | 7.11 ± 0.17^a | 7.08 ± 0.17^b | 7.02 ± 0.18^c | $< 0.001 (219.84)^*$ |
| | Control | 7.14 ± 0.21^a | - | 7.06 ± 0.21^b | $< 0.001 (37.33)^\dagger$ |
| h° | APA | 258.91 ± 1.16^a | 258.31 ± 1.26^b | 257.54 ± 0.42^c | $< 0.001 (25.23)^*$ |
| | Laser | 258.42 ± 0.54^a | 258.03 ± 0.55^b | 257.55 ± 0.42^c | $< 0.001 (47.12)^*$ |
| | CoJet | 257.81 ± 0.45^a | 255.86 ± 0.83^b | 257.81 ± 0.45^c | $< 0.001 (258.45)^*$ |
| | Control | 258.65 ± 0.75^a | - | 257.82 ± 0.76^b | $< 0.001 (52.02)^\dagger$ |

Means with similar superscripted lowercase letters within the same row are not significantly different ($p > 0.05$).

L^* indicates lightness, a^* indicates redness (positive)-greenness (negative), b^* indicates yellowness (positive)-blueness (negative), C^* indicates chroma, and h° indicates the hue angle.

APA, airborne particle abrasion; t0, baseline; t1, after debonding and polishing; t2, after coffee thermocycling.

*Repeated measures ANOVA followed by pairwise comparisons with Bonferroni test.

†Paired samples statistics.

Table 2. Comparison of the mean and standard deviation of ΔE_{00} in different surface treatments at different time points (n = 40)

| Group | $\Delta E_{00}t0t1$ | $\Delta E_{00}t1t2$ | $\Delta E_{00}t0t2$ | Effect of time on each group (F) |
|--|------------------------------|------------------------------|------------------------------|----------------------------------|
| APA | 0.44 ± 0.20 ^{Aa} | 0.87 ± 0.41 ^{Ab} | 1.15 ± 0.53 ^{Ac} | < 0.001 (50.13)* |
| Laser | 0.19 ± 0.12 ^{Ba} | 0.38 ± 0.16 ^{Bb} | 0.53 ± 0.24 ^{Bc} | < 0.001 (105.79)* |
| CoJet | 0.50 ± 0.04 ^{Aa} | 0.64 ± 0.29 ^{Cb} | 0.62 ± 0.33 ^{Bab} | 0.007 (6.35)* |
| Control | NA | NA | 0.19 ± 0.02 ^C | |
| Effect of group at each time point (F) | < 0.001 (59.47) [†] | < 0.001 (26.52) [†] | < 0.001 (56.37) [†] | |

Means with the same superscripted uppercase letters within the same column are not significantly different ($p > 0.05$). Means with the same superscripted lowercase letters within the same row are not significantly different ($p > 0.05$).

ΔE_{00} , color difference; APA, airborne particle abrasion; t0, baseline; t1, after debonding and polishing; t2, after coffee thermocycling; NA, not available.

*Repeated measures ANOVA followed by pairwise comparisons with Bonferroni test.

[†]ANOVA followed by pairwise comparisons with the Games–Howell test.

[‡]ANOVA followed by pairwise comparisons with the Tukey’s test.

Table 3. Comparison of the mean and standard deviation of translucency parameter (TP) in different surface treatments at different time points (n = 40)

| Group | TPt0 | TPt1 | TPt2 | Effect of time on each group (F) |
|--|---------------------------|------------------------------|-------------------------------|----------------------------------|
| APA | 12.25 ± 0.16 ^a | 13.07 ± 0.33 ^{Ab} | 13.29 ± 0.38 ^{Ac} | < 0.001 (249.33)* |
| Laser | 12.25 ± 0.16 ^a | 12.71 ± 0.20 ^{Bb} | 12.98 ± 0.24 ^{Bc} | < 0.001 (249.59)* |
| CoJet | 12.25 ± 0.16 ^a | 13.02 ± 0.17 ^{Ab} | 13.23 ± 0.17 ^{ABc} | < 0.001 (1,020.19)* |
| Control | 12.25 ± 0.16 | NA | 12.25 ± 0.16 ^C | |
| Effect of group at each time point (F) | NA | < 0.001 (25.46) [†] | < 0.001 (248.22) [†] | |

Means with the same superscripted uppercase letters within the same column are not significantly different ($p > 0.05$). Means with the same superscripted lowercase letters within the same row are not significantly different ($p > 0.05$).

APA, airborne particle abrasion; t0, baseline; t1, after debonding and polishing; t2, after coffee thermocycling; NA, not available.

*Repeated measures ANOVA followed by pairwise comparisons with Bonferroni test.

[†]ANOVA followed by pairwise comparisons with the Games–Howell test.

[‡]ANOVA followed by pairwise comparisons with the Tukey’s test.

to paired t -test ($p < 0.001$). At t2, the L*, a*, C* and h° parameters significantly decreased while the b* parameter significantly increased (Table 1).

Table 2 shows the comparison of the ΔE_{00} between t0t1, t1t2, and t0t2 for different surface treatments. Results showed a significant difference in ΔE_{00} between the test groups at the three time points ($p < 0.001$). Pairwise comparisons of the groups showed that the $\Delta E_{00}t0t1$ in the laser group was significantly lower than that in the APA ($p < 0.001$) and CoJet ($p < 0.001$) groups, and the difference between CoJet and APA was not significant ($p = 0.095$). Regarding $\Delta E_{00}t1t2$, the APA group showed a significantly higher mean value than the laser ($p < 0.001$) and CoJet ($p = 0.003$) groups. Also, the mean value in the CoJet group was significantly higher than that in the laser group ($p < 0.001$). Comparison of $\Delta E_{00}t0t2$ between the control (0.19 ± 0.02) and other groups by

ANOVA revealed a significant difference among the four groups ($p < 0.001$). Pairwise comparisons of the groups revealed significant differences between all groups ($p < 0.001$) except for the difference between the laser and CoJet groups ($p = 0.511$).

Comparison of ΔE_{00} within each group showed that in the APA and laser groups, the mean value during t0t1 was significantly lower than that during t1t2 ($p < 0.001$) and t0t2 ($p < 0.001$). Also, the mean value during t1t2 was significantly lower than that during t0t2 ($p < 0.001$). Nonetheless, in the CoJet group, only $\Delta E_{00}t0t1$ was significantly lower than $\Delta E_{00}t1t2$ ($p = 0.011$). Other comparisons revealed no significant difference ($p > 0.05$).

Regarding the TP, a significant differences were found among the three surface treatments at three assessment time points (Table 3). At t1, TP in the laser group was significantly lower than that in the APA ($p < 0.001$) and

Table 4. Comparison of the mean and standard deviation (SD) of changes in translucency parameter (Δ TP) in different surface treatments (n = 40)

| Variable | Groups | Mean \pm SD | Minimum | Maximum | p-value (F)* |
|-------------------|---------|------------------------------|---------|---------|------------------|
| Δ TP(t0t1) | APA | 0.82 \pm 0.34 ^A | 0.22 | 1.63 | < 0.001 (25.78) |
| | Laser | 0.46 \pm 0.18 ^B | -0.55 | 0.63 | |
| | CoJet | 0.77 \pm 0.16 ^A | -0.20 | 0.94 | |
| Δ TP(t1t2) | APA | 0.22 \pm 0.16 | -0.72 | 0.35 | 0.058 (2.91) |
| | Laser | 0.27 \pm 0.14 | 0.02 | 0.97 | |
| | CoJet | 0.20 \pm 0.06 | 0.06 | 0.42 | |
| Δ TP(t0t2) | APA | 1.04 \pm 0.38 ^A | -0.03 | 1.91 | < 0.001 (124.15) |
| | Laser | 0.73 \pm 0.25 ^B | -0.42 | 1.54 | |
| | CoJet | 1.00 \pm 0.18 ^A | -0.02 | 1.26 | |
| | Control | 0.10 \pm 0.02 ^C | 0.06 | 0.13 | |

Means with the same superscripted uppercase letters within the same column are not significantly different ($p > 0.05$). APA, airborne particle abrasion; t0, baseline; t1, after debonding and polishing; t2, after coffee thermocycling.

*ANOVA followed by pairwise comparisons with the Games-Howell test.

CoJet ($p < 0.001$) groups. However, the difference between the APA and CoJet groups was not significant in this regard ($p > 0.05$). Comparison of TP at t2 between the control and other groups by ANOVA showed no significant difference between the CoJet group and APA ($p = 0.082$) and laser ($p = 0.717$) groups. Nonetheless, the pairwise comparisons revealed significant differences ($p < 0.001$). Comparison of time points showed that in all groups, TP significantly increased from t0 to t2 ($p < 0.001$). Table 4 compares the changes in TP (Δ TP) at different time points. Significant differences were noted among different groups in Δ TPt0t1 and Δ TPt0t2 ($p < 0.001$); while, this difference was not significant for Δ TPt1t2 ($p = 0.058$). Pairwise comparisons showed no significant difference between the APA and CoJet groups regarding Δ TPt0t1 and Δ TPt0t2 ($p = 0.762$ and $p = 0.818$, respectively); however, these values were significantly lower in the laser group ($p < 0.001$).

DISCUSSION

The present results showed significant effect of orthodontic bonding with different surface treatments and CTC on color parameters, color stability, and TP of FSZ. Thus, the null hypothesis of the study was rejected. In general, there is no similar study on zirconia to compare our results with. Nonetheless, some relevant studies have been conducted on enamel and feldspathic porcelain, reporting controversial results. Some studies reported that the color change caused by orthodontic treatment exceeded the clinically acceptable threshold, and even polishing could not correct it.^{19,21,26} However, other studies reported that the color change was insignificant and reversible.^{17,18,23,27,36}

In the present study, since the amount of residual

adhesive remaining on the surface of specimens after debonding was variable, it was not possible to standardize the specimens regarding the polishing time. Therefore, according to previous studies,^{32,37} achieving a visually smooth surface was considered as the criterion for completion and termination of polishing. Moreover, to ensure optimal quality of polishing, two additional specimens from each group underwent SEM assessment after polishing. Nonetheless, future studies are recommended to assess the surface roughness of specimens after polishing to ensure no significant difference among the specimens in this regard.

To better simulate the clinical setting in the present study, a plier was used for debonding instead of a universal testing machine, similar to previous studies.^{27,32,37} However, one previous study²⁶ used a universal testing machine to standardize the debonding process of specimens. It appears that using a universal testing machine decreases the generalizability of the results. For instance, the residual adhesive on the specimen surface may be much lower or higher than what it seems. Thus, although using a plier may cause higher variability after debonding in specimens, we tried to compensate for it by increasing the sample size.

The current results revealed that in comparison of different surface treatments applied, the APA group showed minimum and the laser and CoJet groups showed maximum color stability after orthodontic bonding and CTC. Minimum color change was noted when comparing before and after orthodontic treatment, and CTC had a higher contribution in discoloration of bonded specimens. The discoloration caused in control specimens following CTC was insignificant, and bonded groups showed much lower color stability than intact specimens after CTC. Nonetheless, the calculated ΔE_{00}

did not exceed AT or even PT in any group at any time point. Perceptibility refers to judgment regarding presence/absence of precise color match between the tooth and restoration, and lower perceptibility values indicate a color match close to perfect.⁹ Acceptability refers to acceptable color change of restoration, and is within the range of PT and unacceptable color mismatch.⁹ Regarding TP, the results showed that orthodontic treatment changed the TP after CTC irrespective of the type of surface treatment. TP significantly increased from t0 to t2, and the share of CTC after orthodontic treatment in this increase was lower than the share of orthodontic treatment alone. Lower share of CTC in alterations of TP was in line with the findings of a review study by Papageorgiou-Kyrana et al.,⁴ who showed that irrespective of the type of zirconia, the effect of aging was insignificant and below the AT and PT in thicknesses over 0.5 mm. A significant increase in TP was also noted in the control specimens after CTC in the present study, although the Δ TP in the control group was significantly lower than that in the test groups. The Δ TP in different surface treatment groups before and after CTC (T0 to T2) was lower than AT and higher than PT; while, Δ TP was lower than PT in the control group (0.1 ± 0.02). This finding highlighted the significant effect of orthodontic treatment on susceptibility of zirconia to change in translucency following aging. The increase in TP was in line with the reduction in L^* parameter. According to the Lambert's law, decreasing the thickness decreases light absorption and subsequently increases light transmission.³³

Similar to the present study, several other studies reported that the discoloration of zirconia due to CTC or UV aging alone or CTC following clinical adjustment was lower than AT,^{1,9,12,13,37} and showed that translucency increased with aging and also with increased frequency of thermal cycles.^{7,8,12,31} Conversely, Turgut⁹ reported that the translucency of monolithic zirconia decreased by 1.8 to 6.0 units due to UV aging. Al-Zordk and Saker³⁷ reported a reduction in translucency between 0.42 to 1.51 units due to clinical adjustment and subsequent CTC. Variations in the results can be due to the use of different types of zirconia and different aging protocols.

The present results indicated that all test groups under orthodontic treatment had higher translucency than the control group after CTC. This finding may be due to two reasons. The first reason may be the higher surface roughness of specimens that underwent orthodontic treatment. It has been demonstrated that smoother surfaces have higher light reflection, less passage of light, and lower translucency.^{38,39} Surface roughness can affect the translucency of monolithic CAD/CAM restorations such as zirconia.⁴⁰ Moreover, it has been demonstrated that despite polishing after orthodontic treatment, the

surface roughness of the underlying substrate may not reach the baseline value.^{26,41} Thus, specimens that underwent surface treatments exhibited increase in surface roughness leading to greater increase in translucency compared with the control group. The second reason may be the thickness of material, because lower thickness is associated with higher translucency.³⁹ The surface treatments and debonding processes followed by the final finishing and polishing might have decreased the specimen thickness and increased the translucency.

In the present study, only one type of polishing kit and method on a limited thickness of zirconia was evaluated. Moreover, this study had an inherent limitations of *in vitro* study design which could not take intraoral factors such as oral hygiene, saliva, pH, and temperature into account. Also, both surfaces of zirconia were stained in our study whereas in a clinical environment, only one surface would be stained as the other surface would be bonded to a tooth. Thus, an *in vivo* study is warranted to further evaluate the color properties using different polishing techniques on various thicknesses of zirconia.

CONCLUSIONS

Within the limitations of this *in vitro* study, it may be concluded that orthodontic treatment makes zirconia restorations susceptible to discoloration and increased translucency. Of the groups evaluated in the present study, the APA group showed minimum and the control group showed maximum color stability. No significant difference was noted in color stability of laser and CoJet groups. Moreover, maximum increase in translucency was noted in the CoJet and APA groups while minimum change was recorded in the control group followed by the laser group. Nonetheless, the color change and alterations in translucency did not exceed the AT in any group at any time point.

FUNDING

Dental sciences research center of Guilan University of medical sciences (Grant number #IR.GUMS.REC.1399.223).

ACKNOWLEDGEMENTS

Our grateful thanks are extended to Dr. Mohammad Ebrahim Ghaffari with a PhD degree in Biostatistics for his help in doing the meteorological data analysis.

AUTHOR CONTRIBUTIONS

Conceptualization: YBH. Data curation: NS, AMN.

Formal analysis: AMN. Funding acquisition: YBH. Methodology: MF, HNA. Project administration: MF. Visualization: HNA. Writing—original draft: NS. Writing—review & editing: YBH, MF.

CONFLICTS OF INTEREST

No potential conflict of interest relevant to this article was reported.

REFERENCES

- Subaşı MG, Alp G, Johnston WM, Yilmaz B. Effects of fabrication and shading technique on the color and translucency of new-generation translucent zirconia after coffee thermocycling. *J Prosthet Dent* 2018;120:603-8. <https://doi.org/10.1016/j.prosdent.2018.01.018>
- Asli HN, Rahimabadi S, Falahchai M. Flexural strength of monolithic zirconia after different surface treatments. *World J Dent* 2019;10:264-9. <https://doi.org/10.5005/jp-journals-10015-1653>
- Babae Hemmati Y, Neshandar Asli H, Falahchai M, Safary S. Effect of different surface treatments and orthodontic bracket type on shear bond strength of high-translucent zirconia: an in vitro study. *Int J Dent* 2022;2022:9884006. <https://doi.org/10.1155/2022/9884006>
- Papageorgiou-Kyrana K, Fasoula M, Kontonasaki E. Translucency of monolithic zirconia after hydrothermal aging: a review of in vitro studies. *J Prosthodont* 2020;29:489-500. <https://doi.org/10.1111/jopr.13174>
- Elsaka SE. Optical and mechanical properties of newly developed monolithic multilayer zirconia. *J Prosthodont* 2019;28:e279-84. <https://doi.org/10.1111/jopr.12730>
- Babae Hemmati Y, Neshandar Asil H, Falahchai M, Safari N. Comparative effects of tungsten, diamond burs and laser for residual adhesive removal after orthodontic debonding on flexural strength, surface roughness and phase transformation of high-translucent zirconia: an in vitro study. *Int Orthod* 2022;20:100665. <https://doi.org/10.1016/j.ortho.2022.100665>
- Kim HK. Optical and mechanical properties of highly translucent dental zirconia. *Materials (Basel)* 2020;13:3395. <https://doi.org/10.3390/ma13153395>
- Sulaiman TA, Abdulmajeed AA, Donovan TE, Valittu PK, Närhi TO, Lassila LV. The effect of staining and vacuum sintering on optical and mechanical properties of partially and fully stabilized monolithic zirconia. *Dent Mater J* 2015;34:605-10. <https://doi.org/10.4012/dmj.2015-054>
- Turgut S. Optical properties of currently used zirconia-based esthetic restorations fabricated with different techniques. *J Esthet Restor Dent* 2020;32:26-33. <https://doi.org/10.1111/jerd.12533>
- Geoghegan F, Birjandi AA, Machado Xavier G, DiBiase AT. Motivation, expectations and understanding of patients and their parents seeking orthodontic treatment in specialist practice. *J Orthod* 2019;46:46-50. <https://doi.org/10.1177/1465312518820330>
- Abuelenain DA, Linjawi AI, Alghamdi AS, Alsadi FM. The effect of various mechanical and chemical surface conditioning on the bonding of orthodontic brackets to all ceramic materials. *J Dent Sci* 2021;16:370-4. <https://doi.org/10.1016/j.jds.2020.02.003>
- Arif R, Yilmaz B, Johnston WM. In vitro color stainability and relative translucency of CAD-CAM restorative materials used for laminate veneers and complete crowns. *J Prosthet Dent* 2019;122:160-6. <https://doi.org/10.1016/j.prosdent.2018.09.011>
- Alp G, Subasi MG, Johnston WM, Yilmaz B. Effect of surface treatments and coffee thermocycling on the color and translucency of CAD-CAM monolithic glass-ceramic. *J Prosthet Dent* 2018;120:263-8. <https://doi.org/10.1016/j.prosdent.2017.10.024>
- Mokhtarpur H, Nafisifard M, Dadgar S, Etemadi A, Chiniforush N, Sobouti F. Shear bond strength of the metal bracket to zirconium ceramic restoration treated by the Nd: YAG laser and other methods: an in vitro microscopic study. *J Lasers Med Sci* 2020;11:411-6. <https://doi.org/10.34172/jlms.2020.65>
- Ameli N, Talaei R, Saeedi S, Ghorbani R, Askari BA. Effect of two polishing systems on color and surface roughness of feldspathic porcelain following orthodontic bracket debonding and composite resin removal. *APOS Trends Orthod* 2019;9:105-10. <https://doi.org/10.25259/APOS-11-2019>
- Cetik S, Ha TH, Sitri L, Duterme H, Pham V, Atash R. Comparison of shear strength of metal and ceramic orthodontic brackets cemented to zirconia depending on surface treatment: an in vitro study. *Eur J Dent* 2019;13:150-5. <https://doi.org/10.1055/s-0039-1694304>
- Queiróz Tavares ML, Elias CN, Nojima LI. Effects of different primers on indirect orthodontic bonding: shear bond strength, color change, and enamel roughness. *Korean J Orthod* 2018;48:245-52. <https://doi.org/10.4041/kjod.2018.48.4.245>
- Trakyalı G, Ozdemir FI, Arun T. Enamel colour changes at debonding and after finishing procedures using five different adhesives. *Eur J Orthod*

- 2009;31:397-401. <https://doi.org/10.1093/ejo/cjp023>
19. Gorucu-Coskuner H, Atik E, Taner T. Tooth color change due to different etching and debonding procedures. *Angle Orthod* 2018;88:779-84. <https://doi.org/10.2319/122017-872.1>
 20. Ye C, Zhao Z, Zhao Q, Du X, Ye J, Wei X. Comparison of enamel discoloration associated with bonding with three different orthodontic adhesives and cleaning-up with four different procedures. *J Dent* 2013;41 Suppl 5:e35-40. <https://doi.org/10.1016/j.jdent.2013.07.012>
 21. Zaher AR, Abdalla EM, Abdel Motie MA, Rehman NA, Kassem H, Athanasiou AE. Enamel colour changes after debonding using various bonding systems. *J Orthod* 2012;39:82-8. <https://doi.org/10.1179/1465312512Z.0000000009>
 22. Boncuk Y, Cehreli ZC, Polat-Özsoy Ö. Effects of different orthodontic adhesives and resin removal techniques on enamel color alteration. *Angle Orthod* 2014;84:634-41. <https://doi.org/10.2319/060613-433.1>
 23. Kaya Y, Alkan Ö, Değirmenci A, Keskin S. Long-term follow-up of enamel color changes after treatment with fixed orthodontic appliances. *Am J Orthod Dentofacial Orthop* 2018;154:213-20. <https://doi.org/10.1016/j.ajodo.2017.11.032>
 24. Joo HJ, Lee YK, Lee DY, Kim YJ, Lim YK. Influence of orthodontic adhesives and clean-up procedures on the stain susceptibility of enamel after debonding. *Angle Orthod* 2011;81:334-40. <https://doi.org/10.2319/062610-350.1>
 25. Moradinezhad M, Moradi M, Shamohammadi M, Hormozi E, Ghorani A. Porcelain color alteration after orthodontic bonding using three different surface preparation methods. *Dent Res J (Isfahan)* 2018;15:180-4. <https://doi.org/10.4103/1735-3327.231860>
 26. Jarvis J, Zinelis S, Eliades T, Bradley TG. Porcelain surface roughness, color and gloss changes after orthodontic bonding. *Angle Orthod* 2006;76:274-7. <https://pubmed.ncbi.nlm.nih.gov/16539553/>
 27. Herion DT, Ferracane JL, Covell DA Jr. Porcelain surface alterations and refinishing after use of two orthodontic bonding methods. *Angle Orthod* 2010;80:167-74. <https://doi.org/10.2319/010909-19.1>
 28. García-Sanz V, Paredes-Gallardo V, Bellot-Arcís C, Mendoza-Yero O, Doñate-Buendía C, Montero J, et al. Effects of femtosecond laser and other surface treatments on the bond strength of metallic and ceramic orthodontic brackets to zirconia. *PLoS One* 2017;12:e0186796. <https://doi.org/10.1371/journal.pone.0186796>
 29. Jahandideh Y, Falahchai M, Pourkhalili H. Effect of surface treatment with Er:YAG and CO₂ lasers on shear bond strength of polyether ether ketone to composite resin veneers. *J Lasers Med Sci* 2020;11:153-9. <https://doi.org/10.34172/jlms.2020.26>
 30. Bitencourt SB, Ferreira LC, Mazza LC, Dos Santos DM, Pesqueira AA, Theodoro LH. Effect of laser irradiation on bond strength between zirconia and resin cement or veneer ceramic: a systematic review and meta-analysis. *J Indian Prosthodont Soc* 2021;21:125-37. https://doi.org/10.4103/jips.jips_590_20
 31. Aljanobi G, Al-Sowygh ZH. The effect of thermocycling on the translucency and color stability of modified glass ceramic and multilayer zirconia materials. *Cureus* 2020;12:e6968. <https://doi.org/10.7759/cureus.6968>
 32. Sigilião LC, Markezan M, Elias CN, Ruellas AC, Sant'Anna EF. Efficiency of different protocols for enamel clean-up after bracket debonding: an in vitro study. *Dental Press J Orthod* 2015;20:78-85. <https://doi.org/10.1590/2177-6709.20.5.078-085.oar>
 33. Zeighami S, Mirmohammadrezaei S, Safi M, Falahchai SM. The effect of core and veneering design on the optical properties of polyether ether ketone. *Eur J Prosthodont Restor Dent* 2017;25:201-8. https://doi.org/10.1922/EJPRD_01720Zeighami08
 34. Paravina RD, Ghinea R, Herrera LJ, Bona AD, Igiel C, Linninger M, et al. Color difference thresholds in dentistry. *J Esthet Restor Dent* 2015;27 Suppl 1:S1-9. <https://doi.org/10.1111/jerd.12149>
 35. Salas M, Lucena C, Herrera LJ, Yebra A, Della Bona A, Pérez MM. Translucency thresholds for dental materials. *Dent Mater* 2018;34:1168-74. <https://doi.org/10.1016/j.dental.2018.05.001>
 36. Tuncer NI, Pamukcu H, Polat-Ozsoy O. Effects of repeated bracket bonding on enamel color changes. *Niger J Clin Pract* 2018;21:1093-7. <https://pubmed.ncbi.nlm.nih.gov/30156191/>
 37. Al-Zordk W, Saker S. Impact of sintering procedure and clinical adjustment on color stability and translucency of translucent zirconia. *J Prosthet Dent* 2020;124:788.e1-9. <https://doi.org/10.1016/j.prosdent.2020.05.024>
 38. Kurtulmus-Yilmaz S, Önöral Ö, Aktore H, Ozan O. Does the application of surface treatments in different sintering stages affect flexural strength and optical properties of zirconia? *J Esthet Restor Dent* 2020;32:81-90. <https://doi.org/10.1111/jerd.12552>
 39. Wang H, Xiong F, Zhenhua L. Influence of varied surface texture of dentin porcelain on optical properties of porcelain specimens. *J Prosthet Dent*

- 2011; 105:242-8. [https://doi.org/10.1016/S0022-3913\(11\)60039-5](https://doi.org/10.1016/S0022-3913(11)60039-5)
40. Kim HK, Kim SH, Lee JB, Ha SR. Effects of surface treatments on the translucency, opalescence, and surface texture of dental monolithic zirconia ceramics. *J Prosthet Dent* 2016;115:773-9. <https://doi.org/10.1016/j.prosdent.2015.11.020>
41. Karan S, Toroglu MS. Porcelain refinishing with two different polishing systems after orthodontic debonding. *Angle Orthod* 2008;78:947-53. <https://doi.org/10.2319/081307-374.1>