

가

0.2 1.2

1.5%

Tel : 054)245-5000. Fax : 054)247-9559

가 , , .

가 가 가 .

Augmentin, Cephlothin, Vancomycin, Oxacillin, Amikacin .

가 :

(Fig. 1),

가 :

14 32%³⁾ 1

12%⁸⁾ , 2

9) 1 3

3 5

4

(Fig. 2A, 2B) 3 5

: , 7 ,

: 3

가 :

: 3

: 30 /

110 / 39 .

: 10.1 g/

dL, 36.9%, 10,100/mm³ (

60.4%, 23.9%), 185,000/

mm³ 55 mm/hr, CRP 10.1

mg/dL 가 ,



Fig. 1. Simple abdominal X-ray. Abdominal X-rays revealed gaseous distension of large bowels with several fluid levels.



Fig. 2A. Sagittal MRI scan of patient. On sagittal T1 scan, central low peripheral high signal change mass lesion with peripheral rim enhancement is seen in the posterior epidural space at L3-5 level, and Cord is decompressed. The disks and vertebral bodies are normal. Loculated fluid collection in L4-5 paraspinal area.

6

(Fig. 3).

1705 Morgagni

8) 가

Dandy¹⁶⁾

가 1 0.2 1.2

1 3)



Fig. 2B. Axial MRI scan of patient. On axial scan, L5 level shows an abnormal signal intensity dorsal to the thecal sac.



Fig. 3. Postoperative sagittal MRI scan. Postoperative T1 sagittal scan, demonstrating complete resolution of epidural abscess in L3-5. Total laminectomy was done in L3-5. Cord compression is released.

1.5% 4)

1

5

110 : 8 1 2001

가 . Enberg Kaplan⁵⁾ 1835
1972 18 46

Jacobsen Sullivan⁸⁾ 50 58 가
⁹⁾ 10

14

6 1

Dandy¹⁶⁾

가

가 가

가

가 가

(25 60%)^{2, 3, 8)} . Baston²¹⁾

가

T4-T8

Valsalva

L3-S4

가

가

가

가 가

2, 4, 11, 16) . Rubin¹³⁾

75%가

1, 3 8)

. Feldenzer¹⁴⁾

가,

가,

가

가 가

3, 11, 19)

. Baker²⁾

8)

8

가

Jacobsen

Sullivan⁸⁾

1.8 : 1

2)

2

가

4

1) . 1

2, 3, 8)

3가

2

가 . .

. 3

4 가 3 가 가

가 . Danner and Hartman¹¹⁾

43%

2

2, 7 9)

가 72

17)

8, 13) 2 가

80%가

가

가 15) 50%

6)

8)

7, 12)

가

. Tyson²⁰⁾

7 Sullivan¹⁸⁾

. Jones²²⁾ 가

65%가 30%가 가

가 ,

11%

35%

10)

- 1) Heusner AP. Nontuberculous spinal epidural infection. *N Engl J Med* 1948;239:845-54.
- 2) Baker AS, Ojemann RG, Swartz MN, Richardson EP. Spinal epidural abscess. *N Engl J Med* 1975;293:463-8.
- 3) Reihnsaus E, Waldbaur H, Seeling W. Spinal epidural abscess : a meta-analysis of 915 patients. *Neurosurg Rev* 2000;232:175-204.
- 4) Davidson RI, Zajac JJ. Spinal epidural empyema with the Brown-Sequard syndrome. *Surg Neurol* 1978;9:195-7.
- 5) Enberg RN, Kaplan RJ. Spinal epidural abscess in children. *Clin Pediatr* 1974;13:247-53.
- 6) Barker CJ. Primary spinal epidural abscess. *Am J Dis Child* 1971;121:337-9.
- 7) Ley D, Lesoin F, Viaud C, Pasquier F, Rousseaux M, Jomin M, et al. Decreased morbidity from acute bacterial spinal epidural abscesses using computed tomography and nonsurgical treatment in selected patients. *Ann Neurol* 1985;17:350-5.
- 8) Jacobsen FS, Sullivan B. Spinal epidural abscesses in children. *Orthopedics* 1994;17:1131-8.
- 9) , , , , , , .
2000;29:1037-42.
- 10) Post MJD, Quencer RM, Montalvo BM, Katz BM, Eismont FJ, Green BA. Spinal infection : evaluation with MR imaging and intraoperative US. *Radiology* 1988;169:765-71.
- 11) Danner RL, Hartman BJ. Update on spinal epidural abscess : 35 cases and review of the literature. *Review of Infectious Disease* 1987;9:265-74.
- 12) Donowitz LG, Cole WQ, Lohr JA. Acute spinal epidural abscess presenting as hip pain. *Pediatr Infect Dis J* 1983;2:44-5.
- 13) Rubin G, Michowiz SD, Ashkenasi A, Tadmor R, Rappaport ZH. *Pediatr Infect Dis J* 1993;12:1007-11.
- 14) Feldenzer Ja, McKeever PE, Schareg DR, Campbell JA, Hoff JT. Experimental spinal epidural abscess: a pathophysiological model in the rabbit. *Neurosurgery* 1987;20:859-67.
- 15) Curling Od, Gower DJ, McWhorter JM. Changing concepts in spinal epidural abscess : a report of 29 cases. *Neurosurgery* 1990;27:185-92.
- 16) Dandy WE. Abscesses and inflammatory tumors in the spinal epidural space(so-called pachymeningitis externa). *Arch Surg* 1926;13:477-94.
- 17) Aicardi J, Lepintre J. Spinal epidural in a one-month-old child. *Am J Dis Child* 1967;114:665-7.
- 18) Sullivan CR, Symmonds RE. Disk infection and abdominal pain. *JAMA* 1964;188:655-8.
- 19) , , , , , , .
1999;28:392-7.
- 20) Tyson GW, Grant A, Strachan WE. Spinal epidural abscess presenting as acute abdomen in a child. *Br J Surg* 1979;66:3-4.
- 21) Baston OV. The function of the vertebral veins and their role in the spread of metastases. *Ann Surg* 1940;112:138.
- 22) Jones PF. Active observation in the management of acute abdominal pain in childhood. *Br Med J* 1976;2:551-3.