

(1).
 3.4 × 2.2 × 4.2 cm 가 T2
 (2 - 4). 가 , T2 가 , T1 T1
 (1). 가 (Fig. 1A - C).
 (2, 5). 6 가 , 가 (Fig. 1D).
 가 33 가 (Fig. 1E). 10 fluorine -
 18 - fluorodeoxyglucose (¹⁸F - FDG) 2.76
 FDG 가 (Fig. 1F).
 51 가 20 (Fig. 1G).
 가 6
 T3N2M0 4 50%
 4.0 × 2.8 cm (6).
 (pH),
 (Carcinoembryonic antigen, CEA) 4.22 ng/mL
 (4 - 7).

¹ 가

가 (5, 6). 가 (6). 가 가 (7). T1 50% (1).




Fig. 1. A 51-year-old female with left thigh pain.
A. Axial fat-suppressed T2-weighted fast spin echo MR image (TR/TE: 3500/75) of left middle thigh shows a hyperintense, lobulated mass with septa in the vastus lateralis muscle.
B, C. On Axial T1-weighted fast spin echo MR image (TR/TE: 600/25), the signal intensity of the mass is slightly heterogeneous and hyperintense than surrounding muscle (**B**). Axial post-contrast fat-suppressed T1-weighted fast spin echo MR image (TR/TE: 600/25) shows the peripheral and septal enhancement (**C**).
D. Longitudinal ultrasonogram shows a relatively hypoechoic mass (arrowheads) with a small calcification (arrow).
E. Axial precontrast CT image shows a hypodense mass (arrowheads) with a small internal calcification.
F. ^{18}F -FDG-PET/CT shows slightly increased uptake in the mass (maximum standardized uptake value = 2.76).
G. Microscopic examination shows large pools of extracellular mucin and many floating nests of adenocarcinoma (H & E stain, $\times 200$).

10 - 20% (1). , (10), 가 , , , , , 가 . 가 가 (4). 가 가 , T2 가 T2 가 (1). T2 , T1 (8). T1 가 (2, 5), (2). T2 T2 가 (1), 가 (9). 가 가 가 (9). T2 , T1 (9). T1 가 ,

1. Hussain SM, Outwater EK, Siegelman ES. Mucinous versus non-mucinous rectal carcinomas: differentiation with MR imaging. *Radiology* 1999;213:79-85
2. Caskey CI, Fishman EK. Computed tomography of calcified metastases to skeletal muscle from adenocarcinoma of the colon. *J Comput Assist Tomogr* 1988;12:199-202
3. Stabler J. Case report: ossifying metastases from carcinoma of the large bowel demonstrated by bone scintigraphy. *Clin Radiol* 1995;50:730-731
4. Hasegawa S, Sakurai Y, Imazu H, Matsubara T, Ochiai M, Funabiki T, et al. Metastasis to the forearm skeletal muscle from an adenocarcinoma of the colon: report of a case. *Surg Today* 2000;30:1118-1123
5. Geukens DM, Vande Berg BC, Malghem J, De Nayer P, Galant C, Lecouvet FE. Ossifying muscle metastases from an esophageal adenocarcinoma mimicking myositis ossificans. *AJR Am J Roentgenol* 2001;176:1165-1166
6. Williams JB, Youngberg RA, Bui-Mansfield LT, Pitcher JD. MR imaging of skeletal muscle metastases. *AJR Am J Roentgenol* 1997; 168:555-557
7. Pretorius ES, Fishman EK. Helical CT of skeletal muscle metastases from primary carcinomas. *AJR Am J Roentgenol* 2000;174: 401-404
8. Mitchell DG, Burk DL Jr, Vinitski S, Rifkin MD. The biophysical basis of tissue contrast in extracranial MR imaging. *AJR Am J Roentgenol* 1987;149:831-837
9. Kransdorf MJ, Murphey MD. *Imaging of soft tissue tumors*. Philadelphia: Lippincott Williams & Wilkins. 2006:481-510
10. Berger KL, Nicholson SA, Dehdashti F, Siegel BA. FDG PET Evaluation of mucinous neoplasms: correlation of FDG uptake with histopathologic features. *AJR Am J Roentgenol* 2000;174:1005-1008

Skeletal Muscle Metastasis from a Cecal Mucinous Adenocarcinoma: A Case Report¹

Dong Hyun Lee, M.D., Young Hwan Lee, M.D., Kyung-Jae Jung, M.D.,
Young Chan Park, M.D., Ho Kyun Kim, M.D., Seung Hyun Cho, M.D.²

¹*Department of Radiology, School of Medicine, Catholic University of Daegu*

²*Department of Radiology and Institute of Radiation Medicine, Seoul National University College of Medicine*

Skeletal muscle metastasis is a relatively rare finding in the setting of mucinous adenocarcinoma of the colon, and it typically exhibits nonspecific imaging findings. We report a case of a skeletal muscle metastasis originating from mucinous adenocarcinoma of the cecum. The skeletal lesion closely resembled intramuscular myxoma with regard to imaging findings, due to abundant mucin and internal calcification.

Index words : Muscle neoplasms
Colonic neoplasms
Neoplasm metastases

Address reprint requests to : Young Hwan Lee, M.D., Department of Radiology, School of Medicine, Catholic University of Daegu,
3056-6, Daemyung-dong, Nam-gu, Daegu 705-718, Korea.
Tel. 82-53-650-4329 Fax. 82-53-650-4339 E-mail: yhlee@cu.ac.kr