



Korean Clinical Imaging Guideline for Hemoptysis

객혈 환자의 영상진단검사: 한국형 권고안

Mi-Jin Kang, MD¹, Jin Hwan Kim, MD², Yoon Kyung Kim, MD³, Hyun Joo Lee, MD⁴,
Kyung Min Shin, MD⁵, Jung Im Kim, MD⁶, Hyun Ju Lee, MD⁷, Kyung Hyun Do, MD⁴,
Hwan Seok Yong, MD⁸, Sol Ji Choi, MPH⁹, Miyoung Choi, RN⁹, Jung Im Jung, MD^{10*}

¹Department of Radiology, Inje University Sanggye Paik Hospital, Seoul, Korea

²Department of Radiology, Chungnam National University Hospital, Chungnam National University School of Medicine, Daejeon, Korea

³Department of Radiology, Gachon University Gil Medical Center, Incheon, Korea

⁴Department of Radiology and Research Institute of Radiology, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

⁵Department of Radiology, Kyungpook National University Chilgok Hospital, Daegu, Korea

⁶Department of Radiology, Kyung Hee University Hospital at Gangdong, Kyung Hee University College of Medicine, Seoul, Korea

⁷Department of Radiology, Seoul National University Hospital, Seoul, Korea

⁸Department of Radiology, Korea University Guro Hospital, Korea University College of Medicine, Seoul, Korea

⁹Division of Healthcare Technology Assessment Research, National Evidence-based Healthcare Collaborating Agency, Seoul, Korea

¹⁰Department of Radiology, Seoul St. Mary's Hospital, College of Medicine, The Catholic University of Korea, Seoul, Korea

<https://doi.org/10.3348/jksr.2018.78.2.81>

J Korean Soc Radiol 2018;78(2):81-87

The publisher and authors would like to draw the reader's attention to an error in the following article:

Korean Clinical Imaging Guideline for Hemoptysis

On page 83 and 85, there were repeated typographical error of foot note in Table 2, Table 3, and Table 4. We have revised "adated" to "adapted."