

## Erratum



Published online: Nov 2, 2022

### \*Correspondence to

**Lobat Tayebi, PhD**

Associate Professor and Director of Research,  
Marquette University School of Dentistry, 1801  
West Wisconsin Ave., Milwaukee, WI 53233,  
USA.

Email: lobat.tayebi@marquette.edu

Copyright © 2022. The Korean Academy of  
Conservative Dentistry

This is an Open Access article distributed  
under the terms of the Creative Commons  
Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0/>)  
which permits unrestricted non-commercial  
use, distribution, and reproduction in any  
medium, provided the original work is properly  
cited.

### ORCID iDs

Kimia Khoshroo ,  
<https://orcid.org/0000-0002-7271-2416>  
Brinda Shah ,  
<https://orcid.org/0000-0003-2597-244X>  
Alexander Johnson ,  
<https://orcid.org/0000-0001-7447-6472>  
John Baeten ,  
<https://orcid.org/0000-0002-8382-2098>  
Katherine Barry ,  
<https://orcid.org/0000-0003-1410-7899>  
Mohammadreza Tahriri ,  
<https://orcid.org/0000-0002-8806-3924>  
Mohamed S. Ibrahim ,  
<https://orcid.org/0000-0001-6504-5945>  
Lobat Tayebi ,  
<https://orcid.org/0000-0003-1947-5658>

# Erratum: Correction of missing funding information. A new phantom to evaluate the tissue dissolution ability of endodontic irrigants and activating devices

Kimia Khoshroo ,<sup>1</sup> Brinda Shah ,<sup>1</sup> Alexander Johnson ,<sup>2</sup> John Baeten ,<sup>2</sup>  
Katherine Barry ,<sup>2</sup> Mohammadreza Tahriri ,<sup>1</sup> Mohamed S. Ibrahim ,<sup>1,3</sup>  
Lobat Tayebi \*

<sup>1</sup>Marquette University School of Dentistry, Milwaukee, WI, USA

<sup>2</sup>Inter Med-Vista Dental, Racine, WI, USA

<sup>3</sup>Faculty of Dentistry, Mansoura University, Mansoura, Egypt

► This corrects the article “A new phantom to evaluate the tissue dissolution ability of endodontic irrigants and activating devices” in volume 45, number 4, e45.

In this article, the funding and conflict or competing interests had missing. The authors apologize for any inconvenience that this may have caused.

Author L.T. acknowledges the partial financial support from Inter-Med/Vista Dental Products through the grant entitled “Enhanced root canal treatment” for this project. We declare potential conflict of interest or competing interest with the reported study due to this grant.