

경동맥 협착병변에서의 스텐트 기술 : 현황과 전망

박 성 욱

Is Carotid Stenting a Reasonable Alternative to Carotid Endarterectomy?

Seong-Wook Park, MD, PhD

Division of Cardiology, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

60%

(carotid endarterectomy : CEA)

1991

NASCET (North American Symptomatic Carotid Endarterectomy Trial)¹⁾

(70-99%)

CEA

2

p1820 참조

331 26% CEA 328

9% CEA

가 173.5%(p=0.001)

(major stroke) 13.1%,

CEA 2.5% CEA 가

(p<0.001). 1995

CEA ACAS

(Asymptomatic Carotid Artery Stenosis) 가

²⁾ 60%

CEA

5 5.1% 11.0%

(95% ; 22-72%).

: , 138-040 388-1

: (02) 2224-3150 : (02) 486-5918

, 30 9.3%

0.9% 1.8%, CEA, CEA
. 6 4.9%
. Yoon⁹⁾
. 1998 23 2,0 35
48 4)⁴⁾ 100% , 5.7%
98.6%, 30 3.08%, 30 , 6
1.32%, 1.37%, 6 20%
4.8% CEA
(CEA) 가 NASCET
가 14.3% , 2
22.1% .⁵⁾ Theron¹⁰⁾
⁶⁾ 26 96%, 가
3.8%, 16 가 Wallstent Palmaz
, NASCET (- Schatz) stent
CEA 가 가
, Naylor⁸⁾
가 4,
000 ,
Roubin Alabama 8
⁷⁾ CEA . 312 가 ,
121 CEA , 가
/ : 6.4%
0.9%, : 1.3% 0, : 1.0% 0,
: 8.7% 0.9%(p=0.0015)
CEA 가
가 Naylor
⁸⁾ CEA
가 / 30
, CEA 10
7 5
(p=0.0034),

REFERENCES

- 1) North American Symptomatic Carotid Endarterectomy Trial Collaborators. *Benefit of carotid endarterectomy in symptomatic patients with high-grade carotid stenosis. N Engl J Med* 1991;325:445-53.
- 2) Executive committee for the Asymptomatic Carotid Atherosclerosis Study. *Endarterectomy for asymptomatic*

- ca-rotilid artery stenosis. JAMA 1995;273:1421-8.*
- 3) Yadav JS, Roubin GS, Iyer S, Vitek J, King P, Jordan WD, Fisher WS. *Elective stenting of the extracranial carotid arteries. Circulation 1997;95:376-81.*
 - 4) Wholey MH, Wholey M, Bergeron P, Diethrich EB, Henry M, Laborde JC, et al. *Current global state of carotid artery stent placement. Cath Cardiovasc Diagn 1998;44:1-6.*
 - 5) Gasecki AP, Eliasziw M, Ferguson GG, Hachinski V, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial (NASCET) Group. *Long term prognosis and effect of endarterectomy in patients with symptomatic severe carotid stenosis and contralateral carotid stenosis or occlusion: Results from NASCET. J Neurosurg 1995;83:778-82.*
 - 6) Mathur A, Roubin GS, Gomez CR, Iyer SS, Wong PMT, Piamsomboon C, et al. *Elective carotid artery stenting in the presence of contralateral occlusion. Am J Cardiol 1998;81:1315-7.*
 - 7) Jordan Jr WD, Voellinger DC, Fisher WS, Redden D, Mc-Dowell HA. *A comparison of carotid angioplasty with stenting versus endarterectomy with regional anesthesia. J Vasc Surg 1998;28:397-403.*
 - 8) Naylor AR, Bolia A, Abbott RJ, Pye IF, Smith J, Lennard N, et al. *Randomized study of carotid angioplasty and stenting versus carotid endarterectomy: A stopped trial. J Vasc Surg 1998;28:326-34.*
 - 9) Yoon YS, Hong BK, Choi DH, Kim SH, Kim DI, Kim SM, et al. *Follow-up results of stent placement for extracranial carotid artery stenosis. Korean Circulation J 1998;28:1820-7.*
 - 10) Theron JG, Payell GG, Coskun O, Huet HF, Guimaraens L. *Carotid artery stenosis: Treatment with protected balloon angioplasty and stent placement. Radiology 1996;201:627-36.*