

Adhesion Activity of *Lactobacillus plantarum* PM 008 Isolated from Kimchi on the Intestine of Mice

Se-Eun Jang¹, Yang-Jin Hyun², Young-Joo Oh³, Kum Boo Choi³, Taesok Kim³, Ik Hyun Yeo³,
 Myung Joo Han^{1*}, Dong-Hyun Kim^{2*}

¹Department of Food and Nutrition, Kyung Hee University, Seoul, Republic of Korea

²Department of Life and Pharmaceutical Sciences, Kyung Hee University, Seoul, Republic of Korea

³Pulmuone Co., Seoul, Republic of Korea

Journal of Bacteriology and Virology 2011. Vol. 41, No. 2 p. 83-90

<http://dx.doi.org/10.4167/jbv.2011.41.2.83>

Received : February 17, 2011 / Revised : March 22, 2011 / Accepted : March 31, 2011

CORRECTION

This article has been published as a correction for an error in the manuscript of Se-Eun Jang et al. (1). In this article, it has been stated that the symbol of normal group (N) is indicated as open circle in Figure 4A and the title of y-axis is described as β -glucosidase in the Figure 4B. This information has now been corrected, as indicated in Figure 4 (below).

The authors and publisher apologize for any inconvenience or confusion that may be caused that may be caused by this error.




Figure 4. Effect of lactic acid bacteria on fecal bacterial β -glucosidase (A) and β -glucuronidase activities (B) in mice. Lactic acid bacteria (LP0.2, 0.2×10^9 *L. plantarum* per mouse; LP1.0, 1.0×10^9 *L. plantarum* per mouse; LC0.2, 0.2×10^9 *L. casei* per mouse; LC1.0, 1×10^9 *L. casei* per mouse) were orally administered once a day for one (upper) or 14 days (bottom). All values are mean \pm S.D. (n=6). *significantly different compared to control group.

REFERENCE

- 1) Jang SE, Hyun YJ, Oh YJ, Choi KB, Kim T, Yeo IH, Han MJ, Kim DH. Adhesion Activity of *Lactobacillus plantarum* PM 008 Isolated from Kimchi on the Intestine of Mice. *J Bacteriol Virol* 2011;41:83-90.