

Correction: Physiological Responses During the Lower Body Positive Pressure Supported Treadmill Test

Tae Sik Bang, MD¹, Woo Hyuk Choi, MD², Sang Hun Kim, MD², Je-Sang Lee, MD²,
Soo-Yeon Kim, MD, PhD¹, Myung Jun Shin, MD, PhD¹, Yong Beom Shin, MD, PhD^{2,3}

¹Department of Rehabilitation Medicine, Pusan National University Yangsan Hospital, Pusan National University School of Medicine, Yangsan; ²Department of Rehabilitation Medicine, Pusan National University Hospital, Pusan National University School of Medicine, Busan; ³Biomedical Research Institute, Pusan National University Hospital, Busan, Korea

<https://doi.org/10.5535/arm.2016.40.5.851>
Ann Rehabil Med 2016;40(5):851-861

To the Editor,

We found an error of funding acknowledgment in this article. The correct acknowledgment is as follows:

The authors would like to thank Pusan National University Hospital Regional Center for Respiratory Diseases for its support in this work. This work was supported by a 2-year research grant from Pusan National University in 2015.

We apologize for any inconvenience this may have caused.

Yours sincerely,
Yong Beom Shin

Corresponding author: Yong Beom Shin
Department of Rehabilitation Medicine, Pusan National University Hospital, Pusan National University School of Medicine, 179 Gudeok-ro, Seo-gu, Busan 49241, Korea. Tel: +82-51-240-7485, Fax: +82-51-247-7485, E-mail: yi0314@gmail.com

© This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted noncommercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Copyright © 2016 by Korean Academy of Rehabilitation Medicine