

하 용 찬

**Meta-analysis on the Risk Factors for Fracture
in Patients with Rheumatoid Arthritis**

Yong-Chan Ha

Department of Orthopaedic Surgery, Chung-Ang University College of Medicine, Seoul, Korea

(1).

.

.

(level of evidence)

11 ,

,

5 .

8 (

,

,

,

,

,

6~8%

(1).

23%

3 ,

<접수일 : 2010년 5월 24일, 수정일 : 2010년 5월 31일, 심사통과일 : 2010년 6월 1일>

※통신저자 : 하 용 찬

서울시 동작구 흑석동 224-1번지

중앙대학교 의과대학 정형외과학교실

Tel : 02) 6299-1591, Fax : 02) 822-1710, E-mail : hayongch@naver.com

(2).

(3).

11

33%

(4,5).

(6,7).

(8).

(9,10).

(10).

참고문헌

- 1) Oh H, Park W, Seo W, Park J. Meta-analysis on the risk factors for fracture in patients with rheumatoid arthritis. J Korean Rheum Assoc 2010;17:23-35.
- 2) van Staa TP, Geusens P, Bijlsma JW, Leufkens HG, Cooper C. Clinical assessment of the long-term risk of fracture in patients with rheumatoid arthritis. Arthritis Rheum 2006;54:3104-12.
- 3) Harrington JT, Broy SB, Derosa AM, Licata AA, Shewmon DA. Hip fracture patients are not treated for osteoporosis: a call to action. Arthritis Rheum 2002;47:651-4.
- 4) Angeli A, Guglielmi G, Dovio A, Capelli G, de Feo D, Giannini S, et al. High prevalence of asymptomatic vertebral fractures in post-menopausal women receiving chronic glucocorticoid therapy: a cross-sectional out-patient study. Bone 2006;39:253-9.
- 5) Jones G, White C, Nguyen T, Sambrook PN, Kelly PJ, Eisman JA. Prevalent vertebral deformities: relationship to bone mineral density and spinal osteophytosis in elderly men and women. Osteoporos Int 1996;6:233-9.
- 6) Cooper C, Campion G, Melton LJ 3rd. Hip fractures in the elderly: a world-wide projection. Osteoporos Int 1992;2:285-9.
- 7) Haleem S, Lutchman L, Mayahi R, Grice JE, Parker MJ. Mortality following hip fracture: trends and geographical variations over the last 40 years. Injury 2008;39:1157-63.
- 8) Liu G, Peacock M, Eilam O, Dorulla G, Braunstein E, Johnston CC. Effect of osteoarthritis in the lumbar spine and hip on bone mineral density and diagnosis of osteoporosis in elderly men and women. Osteoporos Int 1997;7:564-9.
- 9) Solomon DH, Finkelstein JS, Shadick N, LeBoff MS, Winalski CS, Stedman M, et al. The relationship

- : —
- between focal erosions and generalized osteoporosis in postmenopausal women with rheumatoid arthritis. *Arthritis Rheum* 2009;60:1624-31.
- 10) Sugiguchi S, Goto H, Inaba M, Nishizawa Y. Pre-ferential reduction of bone mineral density at the femur reflects impairment of physical activity in patients with low-activity rheumatoid arthritis. *Mod Rheumatol* 2010;20:69-73.
-