

S6 Table. Clinical characteristics of colorectal carcinoma patients

Case	Age (yr)	Sex	Site_Primary	Histology	Stage group	RNA editing status	KRAS	GLI1 status	MSS/MSI status
TCGA-A6-2671	85	M	Sigmoid colon	Adenocarcinoma	III	Hyper	WT	-	MSS
TCGA-A6-2675	78	M	Sigmoid colon	Adenocarcinoma	IIA	Hypo	WT	+	MSS
TCGA-A6-2678	43	F	Transverse colon	Adenocarcinoma	IIIB	Hyper	WT	-	MSS
TCGA-A6-5662	46	M	Splenic flexure	Adenocarcinoma	IIIA	Hypo	MT	-	MSS
TCGA-A6-5665	84	F	Ascending colon	Adenocarcinoma	IIA	Hyper	WT	-	MSI
TCGA-A6-5667	40	F	Sigmoid colon	Adenocarcinoma	IIIB	Hypo	WT	-	MSS
TCGA-AA-3489	75	M	Sigmoid colon	Adenocarcinoma	II	Hypo	WT	-	MSS
TCGA-AA-3511	64	M	Sigmoid colon	Adenocarcinoma	II	Hyper	MT	-	MSS
TCGA-AA-3514	81	F	Ascending colon	Adenocarcinoma	I	Hyper	WT	-	MSS
TCGA-AA-3516	74	F	Ascending colon	Mucinous adenocarcinoma	III	Hyper	MT	-	MSI
TCGA-AA-3517	60	M	Splenic flexure	Adenocarcinoma	IIA	Hyper	WT	-	MSS
TCGA-AA-3518	81	F	Cecum	Adenocarcinoma	IIA	Hyper	-	-	MSI
TCGA-AA-3520	86	F	Ascending colon	Adenocarcinoma	II	Hyper	WT	+	MSS
TCGA-AA-3522	67	M	Ascending colon	Adenocarcinoma	IIA	Hyper	WT	-	MSS
TCGA-AA-3525	90	M	Hepatic flexure	Adenocarcinoma	IIIB	Hyper	WT	-	MSI
TCGA-AA-3527	89	F	Cecum	Adenocarcinoma	IIA	Hyper	WT	-	MSS
TCGA-AA-3531	75	F	Sigmoid colon	Adenocarcinoma	IIA	Hyper	WT	-	MSS
TCGA-AA-3534	78	F	Ascending colon	Adenocarcinoma	IIA	Hyper	WT	-	MSS

TCGA-AA-3655	68	M	Sigmoid colon	Adenocarcinoma	II	Hypo	MT	-	MSS
TCGA-AA-3660	51	F	Sigmoid colon	Adenocarcinoma	II	Hypo	MT	-	MSS
TCGA-AA-3663	42	M	Cecum	Adenocarcinoma	II	Hyper	MT	-	MSI
TCGA-AA-3697	77	M	Sigmoid colon	Adenocarcinoma	II	Hypo	WT	-	N/A
TCGA-AA-3712	65	M	Descending colon	Adenocarcinoma	III	Hyper	WT	-	MSS
TCGA-AA-3713	68	M	Ascending colon	Adenocarcinoma	IIII	Hyper	WT	-	MSI
TCGA-AF-2691	48	F	Rectum	Adenocarcinoma	I	Hyper	MT	-	MSS
TCGA-AF-2692	54	F	Rectum	Adenocarcinoma	IIA	Hyper	MT	-	MSS
TCGA-AF-5654	73	F	Rectosigmoid junction	Adenocarcinoma	I	Hypo	MT	-	MSS
TCGA-AG-3725	90	F	Rectum	Adenocarcinoma	III	Hypo	WT	-	MSS
TCGA-AG-3732	78	F	Rectum	Adenocarcinoma	I	Hypo	WT	-	MSS
TCGA-AG-3742	85	F	Rectum	Adenocarcinoma	I	Hypo	MT	-	MSS
TCGA-AH-6643	50	M	Rectosigmoid junction	Adenocarcinoma	IIIC	Hypo	WT	-	MSS
TCGA-AZ-6598	77	F	-	Adenocarcinoma	II	Hyper	WT	+	MSI
TCGA-AZ-6599	72	M	Cecum	Adenocarcinoma	I	Hyper	MT	-	MSS
TCGA-AZ-6600	64	M	Hepatic flexure	Adenocarcinoma	IIII	Hypo	MT	-	MSS
TCGA-AZ-6601	68	M	Sigmoid colon	Adenocarcinoma	II	Hyper	WT	-	MSI
TCGA-AZ-6603	77	F	Sigmoid colon	Adenocarcinoma	-	Hypo	WT	-	MSS
TCGA-AZ-6605	77	M	Ascending colon	Adenocarcinoma	IIIB	Hypo	WT	+	MSS
TCGA-F4-6704	60	M	Sigmoid colon	Mucinous	IIIC	Hyper	WT	-	MSS

TCGA-AG-3731	65	M	Rectum	adenocarcinoma Adenocarcinoma	III	Hypo	WT	+	MSI
--------------	----	---	--------	----------------------------------	-----	------	----	---	-----

WT, wild type; MSS, microsatellite stable; MT, mutant; MSI, microsatellite unstable; N/A, not available.