Variable	Ν	HR	95%CI	Disease Free Surviva	1	HR	95%CI	Overall Surviva	[
Sex (Male)	102	1.277	0.756 - 2.157	<b>_</b> _	8	1.094	0.603 - 1.984		
Sex (Female)	51	1.063	0.497 - 2.272			1.214	0.486 - 3.032		-
Age (<65)	117	1.354	0.828 - 2.213			1.234	0.715 - 2.131	<b>—</b> =—	
Age (≥65)	36	0.767	0.287 - 2.049			0.568	0.151 - 2.131 -		
PS (ECOGO)	98	1.201	0.686 - 2.103			1.286	0.668 - 2.477		
PS (ECOG1)	55	1.144	0.581 - 2.253		c	0.822	0.386 - 1.753		
Stage IIIA	19	1.257	0.314 - 5.035			0.836	0.139 - 5.018	-	
Stage IIIB	69	0.620	0.298 - 1.288	<b></b>	(	0.581	0.253 - 1.331		
Stage IIIC	65	2.018	1.108 - 3.675	<b>_</b>		1.894	0.953 - 3.765		
T stage (pT2-3)	44	0.743	0.331 - 1.670	<b>=</b>		0.551	0.196 - 1.547 -		
T stage (pT4)	109	1.507	0.888 - 2.561	<b>_</b>		1.450	0.794 - 2.647		
N stage (pN0-2)	54	1.618	0.587 - 4.458			1.916	0.575 - 6.388		
N stage (pN3)	99	1.208	0.748 - 1.951	<b>_</b> _		1.052	0.605- 1.829		
All	153	1.201	0.781 - 1.848			1.081	0.659 - 1.772	-	
			DS Bette	i 1 er	SP Better		0.1 DS Better	1	10 SP Better

**S3 Fig.** Forest plots of subgroup analyses of disease free survival and overall sruvival. Hazard ratio (HR) are based on stratified proportionalhazards model. Horizontal bars represent 95% confidential interval (CI). S-1 plus cisplatin (SP) showed tendency for better benefit of disease free survival in stage IIIC subgroup, but no other subgroup showed any significant difference of survival benefit among docetaxel plus S-1 (DS) or SP chemotherapy group. ECOG, Eastern Cooperative Oncology Group, PS, performance status.