

S4 Table. Univariable analysis for disease-free survival and overall survival (cohort 2)

Characteristic	No.	Disease-free survival			Overall survival		
		Hazard ratio	95% Confidence interval	p-value ^{a)}	Hazard ratio	95% Confidence interval	p-value ^{a)}
Sex							
Male	94	1			1		
Female	68	0.8	0.4-1.7	0.594	1.0	0.5-2.0	0.948
Age (yr)							
< 70	99	1			1		
≥ 70	63	1.5	0.8-3.0	0.235	2.7	1.4-5.3	0.004
Lauren							
Diffuse	50	1			1		
Intestinal	85	0.7	0.3-1.4	0.315	0.7	0.4-1.4	0.357
Mixed	27	0.5	0.2-1.6	0.272	0.3	0.1-1.1	0.075
Lymphatic invasion							
Absent	36	1			1		
Present	126	1.8	0.7-4.7	0.229	1.0	0.5-2.2	0.983
Venous invasion							
Absent	137	1			1		
Present	25	4.6	2.3-9.4	<0.001	1.9	0.9-4.2	0.112
Perineural invasion							
Absent	101	1			1		
Present	61	1.7	0.8-3.3	0.138	1.3	0.7-2.6	0.394
Stage							
II	77	1			1		
III	85	2.7	1.3-5.7	0.010	1.6	0.8-3.1	0.177
Adjuvant chemotherapy							
No adjuvant therapy	75	1			1		
Adjuvant chemotherapy	82	0.5	0.2-1.0	0.052	0.5	0.2-1.0	0.048

^{a)}The Cox proportional hazards regression model was used.