

S2 Table. Demographics and clinical characteristics in patients

Characteristic	No. of patients (%)		OR (95% CI)	p-value
	Ex-case (n = 144)	Ex-control (n = 144)		
Cigarette smoking				0.781
None	109 (75.7)	111 (77.1)	1.00 (reference)	
Yes	35 (24.3)	33 (22.9)	1.08 (0.63-1.87)	
Regular alcohol drinking				0.315
None	133 (92.4)	128 (88.9)	1.00 (reference)	
Yes	11 (7.6)	16 (11.1)	0.66 (0.29-1.47)	
Menopause (female)				0.954
None	14 (25.9)	14 (25.9)	1.00 (reference)	
Yes	39 (72.2)	40 (74.1)	1.03 (0.43-2.44)	
Unknown	1 (0.02)	-		
Family history of cancer				0.080
None	121 (84.0)	109 (75.7)	1.00 (reference)	
Yes	23 (16.0)	35 (24.3)	0.59 (0.33-1.06)	
Cardiovascular disease^{a)}				0.882
None	116 (80.6)	115 (79.9)	1.00 (reference)	
Yes	28 (19.4)	29 (20.1)	0.96 (0.53-1.71)	
Diabetes				0.205
None	135 (93.8)	129 (89.6)	1.00 (reference)	
Yes	9 (6.3)	15 (10.4)	0.57 (0.23-1.33)	

^{a)}Cardiovascular disease included hypertension and coronary disease. p-value and odds ratios (ORs) and 95% confidence interval (CIs) were calculated by univariate logistic model.