

S3 Table. Crude and age-standardized in situ incidence rates by sex in Korea, 2021

| Site/Type | Crude incidence rate per 100,000 | | | Age-standardized incidence rate per 100,000 ^{a)} | | |
|---|-------------------------------------|------|-----------|--|------|-------|
| | Both sexes | Men | Wome n | Both sexes | Men | Women |
| In situ neoplasms | 65.7 | 42.1 | 89.2 | 41.2 | 21.7 | 51.4 |
| Carcinoma <i>in situ</i> of stomach | 4.7 | 6.6 | 2.9 | 2.2 | 3.3 | 1.2 |
| Carcinoma <i>in situ</i> of colon, rectosigmoid junction, rectum | 15.1 | 18.8 | 11.5 | 7.7 | 10.0 | 5.3 |
| Carcinoma <i>in situ</i> of skin | 3.0 | 2.3 | 3.7 | 1.2 | 1.1 | 1.2 |
| Carcinoma <i>in situ</i> of breast | 11.5 | - | 22.9 | 7.5 | - | 12.3 |
| Carcinoma <i>in situ</i> of cervix uteri | 20.2 | - | 40.2 | 16.7 | - | 27.8 |
| Carcinoma <i>in situ</i> of bladder | 5.6 | 9.3 | 1.9 | 2.6 | 4.6 | 0.7 |
| Other and ill-defined | 5.6 | 5.0 | 6.1 | 3.3 | 2.6 | 2.9 |

^{a)}Age-adjusted using the Segi's world standard population.