INTESTINAL RESEARCH

Supplementary Table 2. Adverse Drug Reactions with Adalimumab

Variable	Value (n = 146)
Adverse drug reaction	
Gastrointestinal disorders	3 (2.1)
Hematochezia	2 (1.4)
Abdominal pain	1 (0.7)
Infections and infestations	3 (2.1)
Cytomegalovirus infection	1 (0.7)
Pneumonia	1 (0.7)
Pulmonary tuberculosis	1 (0.7)
General disorders and administration site conditions	1 (0.7)
Injection site reaction	1 (0.7)
Renal and urinary disorders	1 (0.7)
Renal failure	1 (0.7)
Skin and subcutaneous tissue disorders	1 (0.7)
Swelling face	1 (0.7)
Total	9 (6.2)
Severe adverse drug reaction	
Gastrointestinal disorders	1 (0.7)
Abdominal pain	1 (0.7)
Infections and infestations	2 (1.4)
Pneumonia	1 (0.7)
Pulmonary tuberculosis	1 (0.7)
Renal and urinary disorders	1 (0.7)
Renal failure	1 (0.7)
Total	4 (2.8)

Values are presented as number (%).

Adverse drug reaction: adverse events whose casualty with the adalimumab is "Probable," "Possible," "Probably not," "Not assessable."