Supplementary Table S5. Results of Simulator Sickness Questionnaire of CoTras Vision (COTRAS)

(A) Results of each item in Simulator Sickness Questionnaire

Patient no.	Item											– Total score					
Pauein IIO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	- Iotai score
1	2	2	0	2	1	3	0	0	1	2	1	0	1	0	1	0	78.5
2	0	1	1	1	2	0	0	1	0	0	0	0	0	1	1	1	44.9
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	2	1	2	2	0	0	0	3	2	1	0	3	2	3	1	0	108.5
5	0	2	0	0	1	0	1	0	1	0	0	0	0	0	0	0	26.2
6	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	18.7
7	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	7.5
8	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	7.5
9	2	0	0	1	2	2	0	0	1	0	0	0	0	0	0	0	48.6
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

(B) Results of each domain in Simulator Sickness Questionnaire

Domain	Nausea	Oculomotor	Disorientation	Total score
Mean±SD	24.8±27.7	28.8±24.6	37.6±48.2	34.0±34.5

SD, standard deviation.

(C) Symptoms in SSQ and computation of SSQ scores

CCO averantam	Weight						
SSQ symptom	Nausea	Oculomotor	Disorientation				
General discomfort	O	0					
Fatigue		O					
Headache		O					
Eyestrain		O					
Difficulty focusing		O	O				
Increased salivation	O						
Sweating	O						
Nausea	O		O				
Difficulty concentrating	O	O					
Fullness of head			0				
Blurred vision		O	O				
Dizzy (eyes open)			0				
Dizzy (eyes closed)			O				
Vertigo			0				
Stomach awareness	O						
Burping	O						
Total	[1]	[2]	[3]				
Scoring	[1]×9.54	[2]×7.58	[3]×13.92				
Total score		([1]+[2]+[3])×3.74					

 $SSQ, Simulator\, Sickness\, Question naire.$