

Supplemental Table S1. Patient and Hospital Characteristics of Hospitalizations with Hyperthyroidism

Variable	Index admission, % (n=6,979)	30-Day readmission, % (n=716)	P value
Patient characteristic			
Age, yr	48.3±0.7	53.6±2.0	<0.001
Women	74.2	71.8	0.283
Charlson Comorbidity Index score			
0	48.2	28.7	<0.001
1	27.2	24.3	
2	11.7	17.9	
≥3	12.9	29.0	
Insurance type			
Medicaid	27.3	40.6	<0.001
Medicare	28.0	30.6	
Private	30.9	19.0	
Uninsured	13.7	9.8	
Median annual income in patient's zip code, US\$ ^a			
1–45,999	38.0	41.7	0.264
46,000–58,999	26.5	26.9	
59,000–78,999	21.4	17.3	
≥79,000	14.1	14.2	
Co-morbidities			
Diabetes	17.6	27.2	<0.001
Hypertension	32.4	29.6	0.262
Smoking history	21.9	20.8	0.636
CHF	18.5	23.0	0.025
CKD	6.6	10.6	0.003
Obesity	11.7	14.1	0.169
Dyslipidemia	17.1	24.6	<0.001
CAD	11.8	18.9	<0.001
Prior CVA	1.5	1.3	0.776
Malnutrition	8.3	13.2	0.001
COPD	7.7	11.2	0.013
History of neoplasm	4.6	7.7	0.001
Atrial fibrillation	27.0	32.0	0.032
Hospital bed size			
Small	13.0	12.4	0.910
Medium	25.8	25.4	
Large	61.2	62.2	
Metropolitan location			
Teaching hospital	82.9	84.3	0.438
	77.4	79.0	0.445

Values are expressed as mean±standard deviation.

CHF, congestive heart failure; CKD, chronic kidney disease; CAD, coronary artery disease; CVA, cerebrovascular accident; COPD, chronic obstructive pulmonary disease.

^aFor 2018.