

Obstetrics & Gynecology Science

Asami Ikeda, et al. Prognostic value of serum LDH in ovarian cancer

Supplementary Table 1. Correlation of cancer antigen 125 level with the 9 blood parameters

| Parameter | NLR | PLR | CRP | LDH | Glucose | TC | HDL | LDL | TG |
|-----------|-------------------|---------------------|--------------------|--------------------|---------------------|---------------------|----------------------|--------------------|--------------------|
| r | 0.2309 | 0.1238 | 0.1398 | 0.1843 | -0.02665 | -0.1093 | -0.1571 | 0.01316 | -0.01959 |
| 95% CI | 0.1134, 0.3421 | 0.002950, 0.2408 | 0.02013, 0.2556 | 0.06589, 0.2977 | -0.1465, 0.09392 | -0.2376, 0.02265 | -0.3126, 0.006658 | -0.1485, 0.1741 | -0.1788, 0.1406 |
| P-value | <0.001 | 0.045 | 0.022 | 0.003 | 0.665 | 0.104 | 0.060 | 0.874 | 0.811 |
| No. | 264 | 264 | 267 | 267 | 266 | 222 | 144 | 148 | 151 |

Bold words represent statistical significance.

NLR, neutrophil to lymphocyte ratio; PLR, platelet to lymphocyte rate; CRP, C-reactive protein; LDH, lactate dehydrogenase; TC, total cholesterol; HDL, high-density lipoprotein; LDL, low-density lipoprotein; TG, triglyceride; CI, confidence interval.