

Supplemental Data Table S1. Age-specific AMH concentrations in healthy Korean women

Age (yr)	Percentiles of AMH concentrations (pmol/L)							N
	5th	10th	25th	50th	75th	90th	95th	
19	6.64	13.00	16.36	31.29	45.93	62.93	70.14	31
20	13.14	18.64	23.57	33.93	47.14	54.07	72.29	30
21	8.93	13.00	22.43	32.93	45.64	54.64	91.29	29
22	9.50	14.71	19.64	28.36	47.14	53.00	84.57	26
23	16.71	19.21	23.00	29.71	50.64	68.14	73.93	26
24	3.14	7.36	15.21	25.43	53.29	83.00	.	17
25	15.07	18.79	23.86	32.21	48.43	64.14	77.93	27
26	8.71	16.14	19.50	30.71	37.07	46.36	.	18
27	4.00	12.14	17.79	33.00	39.79	51.86	56.00	25
28	5.93	6.64	12.29	26.64	38.86	53.86	65.21	34
29	8.21	14.14	16.57	28.14	39.07	58.50	69.93	28
30	2.79	5.64	14.29	19.93	25.64	47.50	64.71	35
31	5.29	10.43	15.07	25.71	40.14	56.07	71.93	45
32	2.43	8.29	16.71	25.93	34.79	57.21	66.71	49
33	0.21	6.00	14.14	23.79	39.57	61.79	81.43	51
34	3.29	5.43	13.00	23.79	36.64	59.64	63.79	57
35	1.86	4.64	8.93	15.79	24.86	33.71	35.93	53
36	2.29	5.00	8.50	16.43	26.21	39.14	53.07	42
37	2.57	4.64	7.86	13.43	24.50	29.14	33.86	37
38	4.00	5.43	7.93	14.21	23.00	34.00	36.79	55
39	1.43	5.00	8.29	13.14	22.00	37.93	53.07	47
40	0.50	1.43	5.00	10.00	16.21	31.43	33.71	47
41	1.14	2.00	4.36	8.93	17.50	29.93	36.36	51
42	1.43	2.79	4.36	9.43	15.50	25.29	40.07	41
43	0.07	0.50	3.07	7.64	11.36	15.64	19.07	39
44	0.07	0.21	1.57	4.21	8.64	13.36	18.36	48
45	0.07	0.29	1.14	3.86	6.36	11.57	17.57	43
46	0.14	0.43	1.14	1.93	5.57	10.29	14.43	44
47	0.07	0.07	0.07	0.93	5.00	9.50	15.07	33
48	0.07	0.07	0.29	0.64	2.50	4.71	7.93	47
49	0.07	0.07	0.07	0.29	2.93	5.36	17.29	47
50	0.07	0.07	0.07	0.14	0.79	3.21	6.86	55
51	0.07	0.07	0.07	0.07	0.14	0.50	1.36	38
52	0.07	0.07	0.07	0.07	0.14	0.50	2.07	27
53	0.07	0.07	0.07	0.07	0.07	0.35	1.36	45
54	0.07	0.07	0.07	0.07	0.07	0.07	0.14	49

Abbreviation: AMH, Anti-Müllerian hormone.

Supplemental Data Table S2. AMH concentrations based on menstrual cycle phases and conditions

Menstrual phase or condition	N	Median progesterone concentration (nmol/L)	Median AMH concentration (pmol/L)
Follicular phase	200	0.29	11.36
Follicular or ovulatory phase	656	0.83	13.36
Ovulatory phase	92	3.82	12.29
Ovulatory or luteal phase	238	20.03	12.14
Luteal phase	168	49.93	14.21
High-progesterone group*	28	85.23	13.14
Postmenopausal group [†]	45	0.16	0.07 [‡]

*Participants with a progesterone concentration >76.0 nmol/L; [†]Participants aged ≥45 years with a progesterone concentration <0.18 nmol/L; [‡]Limit of detection of Elecsys AMH assay.

Abbreviation: AMH, anti-Müllerian hormone.