

**Supplementary Table 1.** Clinical characteristics of general colonoscopy for the 2 colorectal surgeons

| Characteristic               | Data         |
|------------------------------|--------------|
| No. of patients              | 1,665        |
| Age (yr)                     |              |
| <75                          | 1,480 (88.9) |
| ≥75                          | 185 (11.1)   |
| Male sex                     |              |
| Colonoscopy                  |              |
| Sedation, yes                | 514 (30.8)   |
| Bowel preparation            |              |
| Excellent/good               | 1,409 (84.6) |
| Fair                         | 256 (15.3)   |
| Insertion time (min)         | 11.1 ± 7.3   |
| WT with polypectomy (min)    | 14.2 ± 5.6   |
| WT without polypectomy (min) | 8.1 ± 4.3    |
| Polypectomy                  |              |
| Polypectomy, yes             | 1,134 (68.1) |
| No. of polyps                | 2.0 ± 1.2    |
| Size of polyps (cm)          | 0.7 ± 0.3    |
| Adenomas                     | 882 (52.9)   |
| Non-advanced adenoma         | 570 (34.2)   |
| Advanced neoplasia           | 323 (19.3)   |

Values are presented as number only, number (%), or mean ± standard deviation.  
WT, withdrawal time.